

OT/TRER 30

A UNITED STATES
DEPARTMENT OF
COMMERCE
PUBLICATION



TELECOMMUNICATIONS

Research and Engineering Report 30

BIBLIOGRAPHY ON PROPAGATION EFFECTS
FROM 10 GHz TO 1000 THz

U.S.
DEPARTMENT
OF COMMERCE

Office of
Telecommunications

Institute for
Telecommunication
Sciences

MARCH 1972

BOULDER
COLORADO 80302

OFFICE OF TELECOMMUNICATIONS

The Department of Commerce, under the 1970 Executive Order No. 11556, has been given the responsibility of supporting the Government in general and the Office of Telecommunications Policy in particular in the field of telecommunications analysis. The Department of Commerce, in response to these added duties, established the Office of Telecommunications as a primary operating unit to meet the demands of telecommunications in the areas of technical and economic research and analysis. The Office consists of three units as follows:

Frequency Management Support Division: Provides centralized technical and administrative support for coordination of Federal frequency uses and assignments, and such other services and administrative functions, including the maintenance of necessary files and data bases, responsive to the needs of the Director of the Office of Telecommunications Policy (OTP) in the Executive Office of the President, in the performance of his responsibilities for the management of the radio spectrum.

Telecommunications Analysis Division: Conducts technical and economic research and analysis of a longer term, continuing nature to provide information and alternatives for the resolution of policy questions, including studies leading to the more efficient allocation and utilization of telecommunication resources; provides forecasts of technological developments affecting telecommunications and estimates their significance; provides advisory services in telecommunications to agencies of Federal, State and local governments; and performs such other analysis as is required to support OTP.

Institute for Telecommunication Sciences: The Institute for Telecommunication Sciences (ITS), as a major element of the Office of Telecommunications, serves as the central Federal agency for research on the transmission of radio waves. As such, ITS has the responsibility to:

(a) Acquire, analyze and disseminate data and perform research in general on the description and prediction of electromagnetic wave propagation, and on the nature of electromagnetic noise and interference, and on methods for the more efficient use of the electromagnetic spectrum for telecommunication purposes;

(b) Prepare and issue predictions of electromagnetic wave propagation conditions and warnings of disturbances in those conditions;

(c) Conduct research and analysis on radio systems characteristics, and operating techniques affecting the utilization of the radio spectrum in coordination with specialized, related research and analysis performed by other Federal agencies in their areas of responsibility;

(d) Conduct research and analysis in the general field of telecommunication sciences in support of other Government agencies as required; and

(e) Develop methods of measurement of system performance and standards of practice for telecommunication systems.



U.S. DEPARTMENT OF COMMERCE

Peter G. Peterson, Secretary

OFFICE OF TELECOMMUNICATIONS

Armig G. Kandoian, Director

INSTITUTE FOR TELECOMMUNICATION SCIENCES

Douglass D. Crombie, Acting Director

TELECOMMUNICATIONS

Research and Engineering Report 30

BIBLIOGRAPHY ON PROPAGATION EFFECTS

FROM 10 GHz TO 1000 THz

L. E. VOGLER

S. F. VAN HORN

INSTITUTE FOR TELECOMMUNICATION SCIENCES
Boulder, Colorado 80302

MARCH 1972

OT/TRER 30

BIBLIOGRAPHY ON PROPAGATION EFFECTS
FROM 10 GHz TO 1000 THz

L. E. Vogler and S. F. Van Horn
EHF-Optical Communications Section
U. S. Department of Commerce
Office of Telecommunications
Institute for Telecommunication Sciences
Boulder, Colorado 80302

(Abstract) A bibliography is presented on the subject of electromagnetic wave propagation over line-of-sight paths through the troposphere at frequencies above 10 GHz. The references are divided into three main categories covering the areas of propagation through non-turbulent clear atmosphere, turbulent clear atmosphere, and precipitation.

Key Words: Bibliography, electromagnetic wave propagation, millimeter waves, infrared-optical waves.

The purpose of this report is to serve as a compilation of references pertaining to the subject of electromagnetic wave propagation over line-of-sight paths through the atmosphere at frequencies greater than 10 GHz. Some of the listed papers are not directly concerned with the above subject, however, their results are useful and/or necessary in describing propagation effects.

The reference list has been divided into the following categories:

A. Propagation through non-turbulent, clear atmosphere

- (1) general (44 papers)
- (2) frequencies < 300 GHz (128 papers)
- (3) frequencies > 300 GHz (55 papers)

B. Propagation through turbulent, clear atmosphere

- (1) general (103 papers)
- (2) frequencies < 300 GHz (30 papers)
- (3) frequencies > 300 GHz (120 papers)

C. Propagation through precipitation

- (1) general (61 papers)
- (2) frequencies < 300 GHz (61 papers)
- (3) frequencies > 300 GHz (12 papers)

Some papers will have relevance to subject areas other than the one in which they appear; however, each paper is listed only once in order to avoid repetition.

The subjects of turbulence and precipitation - B and C - have been listed separately because their effects on a signal are more significant than other phenomena that might have been chosen for categorization. This significance is shown partly by the number of papers that have been written on the two subjects, together with the length of time over which research investigations have continued to be made. That unanswered

questions still remain is apparent from a perusal of the more recent papers in the two lists.

A division has been made according to regions of the frequency spectrum, with 300 GHz being arbitrarily chosen as the dividing point. Thus, categories A3, B3, and C3 list papers on infrared-optical propagation, while A2, B2, and C2 are concerned with the millimeter wave region. General discussions of electromagnetic wave propagation are found in A1, B1, and C1.

Only English language papers (or papers which have been translated into English) have been included, and the attempt has been made to list all relevant papers published through 1970. The list contains references from both technical journals and individual organization reports, with (hopefully) omissions being kept to a minimum. As further research is reported, it can be added to the present collection to provide an up-to-date comprehensive survey of propagation literature.

Section A - Propagation through
non-turbulent, clear atmosphere

Part 1 - General

Atlas, D. (1964), Advances in radar meteorology, *Adva. Geophys.*, 10, Academic Press, New York, 317-478.

Atlas, D., R. M. Cunningham, R. J. Donaldson, Jr., G. Kantor, and P. Newman (1965), Some aspects of electromagnetic wave propagation, ed. S. L. Valley, Handbook of Geophysics and Space Environments, A. F. Cambridge Res. Labs., Office of Aerospace Res., USAF, 9-1-9-36, L. G. Hanscom Field, Bedford, Mass. 01730.

Atlas, D., K. R. Hardy, K. M. Glover, I. Katz, and T. G. Konrad (1966), Tropopause detected by radar, *Science*, 153 (3740), 1110-1112.

Basore, B. L. (1969), Analysis of cross-polarized components of radar reflection data, *Proc. IEEE*, 57 (4), 687-688.

Battan, L. J. (1959), Radar Meteorology, Univ. Chicago Press.

Bean, B. R. (1968), Meteorological factors affecting the fine-scale structure of the radio and optical refractive index, *Tropospheric Wave Prop. Conf. Publ.* 48, IEE, London.

Bean, B. R., and E. J. Dutton (1966), Radio Meteorology, U. S. Dept. of Commerce, NBS Monograph 92, U. S. Govt. Printing Office, Washington, D. C., 435 pp.

Bean, B. R., E. J. Dutton, and B. D. Warner (1970), Weather effects on radar, in Radar Handbook, ed. M. Skolnik, Chap. 24, McGraw-Hill, New York.

Benedict, W. S., and L. D. Kaplan (1959), Calculation of line widths in $H_2O - N_2$ collisions, *J. Chem. Phys.*, 30 (2), 388-399.

Brown, W. E., Jr. (1969), Radar studies of the earth, *Proc. IEEE*, 57 (4), 612-620.

Durrani, S. H., and H. Staras (1968), Multipath problems in communications between low-altitude spacecraft and stationary satellites, *RCA Rev.*, 29 (1), 77-105.

Felsen, L. B., ed. (1969), Progress in radio waves and transmission of information: 1. Radio waves, *Radio Sci.*, 4 (7), 641-650.

Fu, K. S., D. A. Landgrebe, and T. L. Phillips (1969), Information processing of remotely sensed agricultural data, *Proc. IEEE*, 57 (4), 639-653.

- Ghosh, S. N. , and H. D. Edwards (1956), Rotational frequencies and absorption coefficients of atmospheric gases, AFCRC TN-56-202, AFCRL, L. G. Hanscom Field, Bedford, Mass. 01730.
- Green, A. E. S. (1963), Atmospheric attenuation over finite paths, Defense Doc. Center Rept. ASTIA Doc. AD-808685.
- Gross, E. P. (1955), Shape of collision-broadened spectral lines, Phys. Rev. , 97 (2), 395-403.
- Hardy, K. R. , and I. Katz (1969), Probing the clear atmosphere with high power, high resolution radars, Proc. IEEE, 57 (4), 468-480.
- Hicks, J. J. , and J. K. Angell (1968), Radar observations of breaking gravitational waves in the visually clear atmosphere, J. Appl. Meteorol. , 7 (1), 114-121.
- Hill, R. M. , and W. Gordy (1954), Zeeman effect and line breadth studies of the microwave lines of oxygen, Phys. Rev. , 93 (5), 1019-1022.
- Hogg, D. C. , ed. (1969), Progress in radio and non-ionized media, Radio Sci. , 4 (7), 591-602.
- Holmes, R. A. , and R. B. MacDonald (1969), The physical basis of system design for remote sensing, Proc. IEEE, 57 (4), 629-639.
- Holzer, W. (1965), Atmospheric attenuation in satellite communications, Microwave J. , 8 (3), 119-125.
- Janes, H. B. (1970), Atmospheric errors in electromagnetic distance measurements, ESSA-Hawaii experiments, 1966-67, Phase and Frequency Instabilities in Electromagnetic Wave Propagation, AGARD Conf. Proc. No. 33, ed. K. Davies, Technivision Services, Slough, England, 629-636.
- Katz, I. , and D. Randall (1968), Clear air radar echoes and corresponding vertical atmospheric structure determined by aircraft, Proc. 13th Radar Meteorol. Conf. , McGill Univ. , Montreal, 274-278.
- Kerr, D. E. (1951), Propagation of Short Radio Waves, Rad. Lab. Ser. , 13, New York, McGraw-Hill.
- Kropfli, R. A. , I. Katz, T. G. Konrad, and E. B. Dobson (1968), Simultaneous radar reflectivity measurements and refractive index spectra in the clear atmosphere, Radio Sci. , 3 (10), 991-994.

- Lane, J. A. (1965), Some investigations of the structure of elevated layers in the troposphere, *J. Atmos. Terrest. Phys.* , 27 (9), 969-978.
- Lane, J. A. , and J. A. Saxton (1952), Dielectric dispersion in pure polar liquids at very high radio frequencies. I. Measurements on water, methyl, and ethyl alcohols, *Proc. Roy. Soc. (London), Ser. A.* , 213 (1115), 400-408.
- Little, C. G. (1969), Acoustic methods for the remote probing of the lower atmosphere, *Proc. IEEE*, 57 (4), 571-578.
- Lusignan, B. , G. Modrell, A. Morrison, J. Pomalaza, and S. G. Unger (1969), Sensing the earth's atmosphere with occultation satellites, *Proc. IEEE*, 57 (4), 458-467.
- Mandics, P. A. , and R. W. Lee (1969), On a limitation of multifrequency atmospheric probing, *Proc. IEEE*, 57 (4), 685-686.
- McAllister, L. G. , J. R. Pollard, A. R. Mahoney, and P. J. R. Shaw (1969), Acoustic sounding - A new approach to the study of atmospheric structure, *Proc. IEEE*, 57 (4), 579-587.
- Moore, R. K. , and D. S. Simonett (1967), Potential research and earth resource studies with orbiting radars: Results of recent studies, *AIAA Paper 67-767*, Anaheim, Calif.
- Noble, V. E. , R. D. Ketchum, and D. B. Ross (1969), Some aspects of remote sensing as applied to oceanography, *Proc. IEEE*, 57 (4), 594-604.
- Smith, E. K. , and S. Weintraub (1953), The constants in the equation for atmospheric refractive index at radio frequencies, *Proc. IRE*, 41 (8), 1035-1037.
- Rouse, J. W. , Jr. (1969), Arctic ice type identification by radar, *Proc. IEEE*, 57 (4), 605-611.
- Stratton, J. A. (1941), Electromagnetic Theory, McGraw-Hill, New York.
- Sutton, G. W. (1969), Limiting resolution looking upward through the atmosphere, *J. Opt. Soc. Am.* , 59 (1), 115-116.
- Thompson, M. C. , Jr. (1968), Space averages of air and water vapor densities by dispersion for refractive correction of electromagnetic range measurements, *J. Geophys. Res.* , 73 (10), 3097-3102.

- Titterton, P. J. (1970), Estimate of the scale height of the atmospheric refractive-index structure constant, J. Opt. Soc. Am. , 60 (3), 417-418.
- VanVleck, J. H. , and V. F. Weisskopf (1945), On the shape of collision-broadened lines, Rev. Mod. Phys. , 17 (2 and 3), 227-236.
- Westwater, E. R. , and O. N. Strand (1967), Application of statistical estimation techniques to ground-based passive probing of the tropospheric temperature structure, ESSA Tech. Rept. ERL 37-ITSA 37, U. S. Govt. Printing Office, Washington, D. C.
- Westwater, E. R. , and O. N. Strand (1968), Statistical information content of radiation measurements used in indirect sensing, J. Atmos. Sci. , 25 (5), 750-758.
- Wood, L. E. , and M. C. Thompson, Jr. (1968), The group refractive index of air, Appl. Opt. , 7 (7), 1408-1409.

Section A - Propagation through
non-turbulent, clear atmosphere

Part 2 - Frequencies below 300 GHz

- Altshuler, E. E. (1968), New applications at millimeter wavelengths, *Microwave J.*, 11 (11), 38-42.
- Altshuler, E. E., V. J. Falcone, Jr., and K. N. Wulfsberg (1968), Atmospheric effects on propagation at millimeter wavelengths, *IEEE Spectrum*, 5 (7), 83-90.
- Anderson, R. S., C. M. Johnson, and W. Gordy (1951), Resonant absorption of oxygen at 2.5-millimeter wavelength, *Phys. Rev.*, 83 (5), 1061-1062.
- Artman, J. O., and J. P. Gordon (1954), Absorption of microwaves by oxygen in the millimeter wavelength region, *Phys. Rev.*, 96 (5), 1237-1245.
- Atlas, D., K. Naito, and R. E. Carbone (1968) Bistatic microwave probing of a refractively perturbed clear atmosphere, *J. Atmos. Sci.*, 25 (2), 257-268.
- Barrett, A. H., and V. K. Chung (1962), A method for the determination of high-altitude water-vapor abundance from ground-based microwave observations, *J. Geophys. Res.*, 67 (11), 4259-4266.
- Barrett, A. H., J. W. Kuiper, and W. B. Lenoir (1966), Observations of microwave emission by molecular oxygen in the terrestrial atmosphere, *J. Geophys. Res.*, 71 (20), 4723-4734.
- Becker, G. E., and S. H. Autler (1946), Water vapor absorption of electromagnetic radiation in the centimeter wave-length range, *Phys. Rev.*, 70 (5 and 6), 300-307.
- Bell, J. (1967), Propagation measurements at 3.6 and 11 Gc/s over a line-of-sight radio path, *Proc. IEE*, 114 (5), 545-549.
- Bell Telephone Labs. (1955), Final Report on Millimeter Wave Research, Contract ONR 687(00), Rept. No. 24261-15.
- Brookner, E. (1969), Characterization of millimeter wave earth-space link communications channels, IEEE International Conf. on Communications, pp. 7-7 to 7-14, Boulder, Colo.
- Burkhalter, J. H., R. S. Anderson, W. V. Smith, and W. Gordy (1950), The fine structure of the microwave absorption spectrum of oxygen, *Phys. Rev.*, 79 (4), 651-655.

- Caton, W. M. , G. G. Mannella, P. M. Kalaghan, A. E. Barrington, and H. L. Ewen (1968), Radio measurements of atmospheric ozone transition at 101.7 GHz, *Astrophys. J.* , 51 (3), L153-L156.
- Caton, W. M. , W. J. Welch, and S. Silver (1967), Absorption and emission in the 8-millimeter region by ozone in the upper atmosphere, *J. Geophys. Res.* , 72 (24), 6137-6148.
- Chang, S. Y. , and J. D. Lester (1968), Performance characteristics of a 300-GHz radiometer and some atmospheric attenuation measurements, *IEEE Trans. Ant. Prop.* , AP-16 (5), 588-591.
- Coats, G. T. , R. A. Bond, and C. W. Tolbert (1962), Propagation measurement in the vicinity of the 183 Gc/s water vapor line, *Elec. Engrg. Res. Lab.* , Rept. No. 7-20, 16 pp. , Univ. Texas, Austin.
- Crane, R. K. (1971), Propagation phenomena affecting satellite communication systems operating in the centimeter and millimeter wavelength bands, *Proc. IEEE* , 59 (2), 173-188.
- Crawford, A. B. , and D. C. Hogg (1956), Measurement of atmospheric attenuation at millimeter wavelengths, *Bell Sys. Tech. J.* , 35 (4), 907-916.
- Davis, J. H. , and J. R. Cogdell (1970), Astronomical refraction at millimeter wavelengths, *IEEE Trans. Ant. Prop.* , AP-18 (4), 490-493.
- Deam, A. P. (1955), Phase difference variations in 9350 megacycle radio signals arriving at spaced antennas, *Elec. Engrg. Res. Lab.* , Rept. No. 7-06, 20 pp. , Univ. Texas, Austin.
- Dicke, R. H. (1946), The measurement of thermal radiation at microwave frequencies, *Rev. Sci. Instr.* , 17 (7), 268-275.
- Dicke, R. H. , R. Beringer, R. L. Kyhl, and A. B. Vane (1946), Atmospheric absorption measurements with a microwave radiometer, *Phys. Rev.* , 70 (5 and 6), 340-348.
- Drake, F. (1963), NRAO radiometric experiments. The application of passive microwave technology to satellite meteorology, *A Symposium, Memo RM-3401-NASA*, National Aeronautics and Space Admin.
- Falcone, V. J. , Jr. (1966), Calculations of apparent sky temperature at millimeter wavelengths, *Radio Sci.* , 1 (10), 1205-1209.

- Falcone, V. J., Jr., K. N. Wulfsberg, and S. Gitelson (1971), Atmospheric emission and absorption at millimeter wavelengths, *Radio Sci.*, 6 (3), 347-355.
- Flock, W. L., R. C. Mackey, and W. D. Hershberger (1960), Propagation at 36,000 Mc in the Los Angeles Basin, *IRE Trans. Ant. Prop.*, AP-8 (3), 235-241.
- Fowler, M. C., and A. H. LaGrone (1969), Survey of gaseous hydrometeor absorption in the atmosphere in the 10-100 GHz frequency band, *Ant. Prop. Lab., Rept. No. P-37*, Univ. Texas, Austin.
- Frenkel, L., and D. Woods (1966), The microwave absorption by H₂O vapor and its mixtures with other gases between 100 and 300 Gc/s, *Proc. IEEE*, 54 (4), 498-505.
- Funakawa, K., and J. Kato (1962), Experimental studies of propagational characters of 8.6-mm wave on the 24 km path, *J. Radio Res. Labs. (Tokyo)*, 9 (45), 351-367.
- Haroules, G. G., and W. E. Brown (1968) Radiometric measurement of attenuation and emission by the earth's atmosphere at wavelengths from 4 cm to 8 mm, *IEEE Microwave Theory Tech.*, MTT-16 (9), 611-620.
- Hathaway, S. D., and H. W. Evans (1959), Radio attenuation at 11 kmc and some implications affecting relay system engineering, *Bell Sys. Tech. J.*, 38 (1), 73-97.
- Hemmi, C. O. (1966), Atmospheric absorption of electromagnetic radiation in the frequency range 120 to 132 kMc/s, *Elec. Engrg. Res. Lab., Quarterly Engrg. Rept. No. 5*, Univ. Texas, Austin.
- Hemmi, C. O. (1966), Pressure broadening of the 1.63-millimeter water vapor absorption line, *AFAL Rept. NO. 1*, A. F. Avionics Lab., Wright-Patterson AFB, Ohio 45433.
- Hemmi, C. O., and A. W. Straiton (1969), Pressure broadening of the 1.63-mm water-vapor absorption line, *Radio Sci.*, 4 (1), 9-15.
- Hoffman, L. A. (1968), Millimeter-wave propagation and systems considerations, *AF Rept. SAMSO-TR-68-445*, Space and Missile Organization, AF Systems Command, Los Angeles Air Force Station, Calif.

- Hoffman, L. A. , H. J. Wintroub, and W. A. Garber (1966), Propagation observations at 3.2 millimeters, Proc. IEEE, 54 (4), 449-454.
- Hogg, D. C. (1968), Millimeter-wave communication through the atmosphere, Science, 159 (3810), 39-46.
- Ippolito, L. J. (1970), Millimeter wave propagation measurements from the Applications Technology Satellite (ATS-V), IEEE Trans. Ant. Prop. , AP-18 (4), 535-552.
- Janes, H. B. (1963), Correlation of the phase of microwave signals on the same line-of-sight path at different frequencies, IEEE Trans. Ant. Prop. , AP-11 (6), 716-717.
- Janes, H. B. , and M. C. Thompson, Jr. (1966), Observed phase-front distortion in simulated earth-to-space microwave transmissions, NBS Tech. Note No. 339, U. S. Govt. Printing Office, Washington, D. C.
- Janes, H. B. , and M. C. Thompson, Jr. (1964), Errors induced by the atmosphere in microwave range measurements, Radio Sci. , 68D (11), 1229-1235.
- Janes, H. B. , A. W. Kirkpatrick, D. M. Waters, and D. Smith (1965), Phase and amplitude diversity in overwater transmissions at two microwave frequencies, NBS Tech. Note No. 307, U. S. Govt. Printing Office, Washington, D. C.
- Janes, H. B. , M. C. Thompson, Jr. , Dean Smith, and A. W. Kirkpatrick (1970), Comparison of simultaneous line-of-sight signals at 9.6 and 34.5 GHz, IEEE Trans. Ant. Prop. , AP-18 (4), 447-451.
- Johnson, W. A. , T. T. Mori, and F. I. Shimabukuro (1970), Design, development, and initial measurements of a 1.4-mm radiometric system, IEEE Trans. Ant. Prop. , AP-18 (4), 512-514.
- Kelleher, J. J. , and W. O. Binkley (1968), Millimeter wavelengths for space communications?, Microwave J. , 11 (11), 30-36.
- King, G. W. , R. M. Hainer, and P. C. Cross (1947), Expected microwave absorption coefficients of water and related molecules, Phys. Rev. , 71 (7), 433-443.

- King, J. L., J. W. Dees, and J. C. Wiltse (1968), A millimeter-wave propagation experiment from the ATS-E spacecraft, IEEE International Convention Record, 16.
- King, W. C., and W. Gordy (1954), One-to-two millimeter wave spectroscopy. IV. Experimental methods and results for OCS, CH₃F, and H₂O, Phys. Rev., 93 (3), 407-412.
- Lake, H., and J. F. Roche (1968), Propagation tests at 24-70 GHz in the greater Washington, D. C., area. Paper presented at the sessions of Commission 2, USNC/URSI Meetings, Boston.
- Lane, J. A., A. C. Gordon-Smith, and A. M. Zavody (1967), Absorption and scintillation effects at 3-mm wavelength on a short line-of-sight radio link, Electron. Lett., 3 (5), 185-186.
- Lee, R. W., and A. T. Waterman, Jr. (1968), Space correlations of 35 GHz transmissions over a 28-km path, Radio Sci., 3 (2), 135-139.
- Lee, R. W., and A. T. Waterman, Jr. (1967), Wave-front observations at 35 GHz on a line-of-sight, radio-wave propagation path, Electronics Lab., Final Rept. SU-SEL-68-015, Stanford Univ., Palo Alto, Calif.
- Lee, R. W., and A. T. Waterman, Jr. (1967), Wave-front observations at 35 GHz on a line-of-sight, radio-wave propagation path, Electronics Lab., Interim Scientific Rept. No. 2278-1, Stanford Univ., Palo Alto, Calif.
- Lee, R. W., and A. T. Waterman, Jr. (1966), A large antenna array for millimeter wave propagation studies, Proc. IEEE, 54 (4), 454-458.
- Lenoir, W. B. (1968), Microwave spectrum of molecular oxygen in the mesosphere, J. Geophys. Res., 73 (1), 361-376.
- Lenoir, W. B., J. W. Barrett, and D. C. Papa (1968), Observations of microwave emission by molecular oxygen in the stratosphere, J. Geophys., 73 (4), 1119-1126.
- Liebe, H. J. (1969), Calculated tropospheric dispersion and absorption due to the 22-GHz water vapor line, IEEE Trans. Ant. Prop., AP-17 (5), 621-627.
- Liebe, H. J., M. C. Thompson, Jr., and T. A. Dillon (1969), Dispersion studies of the 22-GHz water vapor line shape - I The Lorentzian behavior, J. Quant. Spectr. Rad. Transf., 9 (1), 31-47.

- Liebe, H. J., T. A. Dillon, M. J. Vetter, and M. C. Thompson, Jr. (1968), Dispersion studies of moist air near 1.35-cm wavelength, Proc. Conf. on Tropospheric Wave Propagation, Sept. 30-Oct. 2. Conf. Publication No. 48, 175-182, IEE, London.
- Meeks, M. L., and A. E. Lilley (1963), The microwave spectrum of oxygen in the earth's atmosphere, J. Geophys. Res., 68 (6), 1683-1703.
- Miller, S. L., and C. H. Townes (1953), The microwave absorption spectrum of $(O^{16})_2$ and $O^{16}O^{17}$, Phys. Rev., 90 (4), 537-541.
- Mitchell, R. L. (1966), Radar meteorology at millimeter wavelengths, Aerospace Corp. Rept. TR-699(6230-46)-9, Contract AF 04(695)-669, El Segundo, Calif., 30 pp. (Also listed as AF Rept. No. SSD-TR-66-117.)
- Mizushima, M. (1953), On the frequencies of the microwave absorption lines of oxygen, Phys. Rev., 91 (1), 222.
- Mizushima, M. (1951), The theory of pressure broadening and its application to microwave spectra, Phys. Rev., 83 (1), 94-103.
- Mizushima, M., and R. M. Hill (1954), Microwave spectrum of O_2 , Phys. Rev., 93 (4), 745-748.
- Moore, R. K., and F. T. Ulaby (1969), The radar radiometer, Proc. IEEE, 57 (4), 587-590.
- Morgan, L. A., and C. A. Ekdahl, Jr. (1966), Millimeter wave propagation, Tech. Rept. No. RADC-TR-66-342, Rome Air Development Center, Griffiss AFB, N. Y.
- Mueller, G. E. (1946), Propagation of 6-millimeter waves, Proc. IRE, 34 (4), 181-183.
- Norton, K. A. (1965), Effects of tropospheric refraction in earth-space links, in Progress in Radio Science 1960-1963, 2, ed. F. duCastel, 186-210, Elsevier, New York.
- Pate, D. N., and R. M. Fannin (1970), Clear weather 15-GHz signal variations for a 9.5-mile path, Elec. Engrg. Res. Lab. Tech. Rept. No. 70-3, 40 pp., Univ. Texas, Austin.

- Raytheon Co. (1965), First quarterly report for millimeter communication propagation program, Rept. K-625-65-1, Contract NAS 5-9523, NASA Access No. N 66-27949, Sudbury, Mass. , 349 pp.
- Raytheon Co. (1965), Second quarterly report for millimeter communication propagation program. Rept. K-625-65-2, Contract NAS 5-9523, NASA Access No. N 66-29845, Sudbury, Mass. , 211 pp.
- Raytheon Co. (1965), Final report, Vol. I for millimeter communication propagation program. Rept. E-733-65-1, Contract NAS 5-9523, NASA Access No. N 66-20163, Sudbury, Mass. , 177 pp.
- Raytheon Co. (1965), Final report, Vol. II for millimeter communication propagation program. Rept. E-733-65-2, Contract NAS 5-9523, NASA Access No. N 66-30164, Sudbury, Mass. , 230 pp.
- Raytheon Co. (1965), Final report Vol. III for millimeter communication propagation program. Rept. E-733-65-3, Contract NAS 5-9523, NASA Access No. N 66-30305, Sudbury, Mass. , 104 pp.
- Reber, E. E. , R. L. Mitchell, and C. J. Carter (1970), Attenuation of the 5-mm wavelength band in a variable atmosphere, IEEE Trans. Ant. Prop. , AP-18 (4), 472-479.
- Richter, J. H. (1969), High resolution tropospheric radar sounding, Radio Sci. , 4 (12), 1261-1268.
- Roche, J. F. , H. Lake, D. T. Worthington, C. K. H. Tsao, and J. T. deBettencourt (1970), Radio propagation at 27-40 GHz, IEEE Trans. Ant. Prop. , AP-18 (4), 452-462.
- Rosenblum, E. S. (1961), Atmospheric absorption of 10-400 kMcps radiation: Summary and bibliography to 1961, Microwave J. , 4 (3), 91-96.
- Rusk, J. R. (1965), Line-breadth study of the 1.64-mm absorption in water vapor, J. Chem. Phys., 42 (2), 493-500.
- Ryde, J. W. (1946), The attenuation and radar echoes produced at centimetre wave-lengths by various meteorological phenomena, Meteorological Factors in Radio-Wave Propagation, 169-189, Rept. of Conf. at Royal Inst. , London, by Phys. Soc. and Royal Meteorological Soc.

- Ryde, J. W. (1946), The attenuation of centimetre radio waves and the echo intensities resulting from atmospheric phenomena, Proc. IEE, 93, Pt. 3A (1), 101-103.
- Saxton, J. A. (1946), The anomalous dispersion of water at very high radio frequencies, Part II - Relation of experimental observations to theory, Meteorological Factors in Radio-Wave Propagation, 292-306, Rept. of Conf. at Royal Inst. , London, by Phys. Soc. and Royal Meteorological Soc.
- Saxton, J. A. (1952, Dielectric dispersion in pure polar liquids at very high radio-frequencies. II. Relation of experimental results to theory, Proc. Roy. Soc. (London) Ser. A. , 213 (1115), 473-492.
- Scarpero, D. C. (1969), Atmospheric effects on electromagnetic wave propagation in the frequency range 15-200 GHz, Master's Thesis, Univ. Texas, Austin.
- Schulze, A. E. , and C. W. Tolbert (1963), Shape, intensity, and pressure broadening of the 2.53-millimeter wavelength oxygen absorption line, Nature, 200 (4908), 747-750.
- Shen, L. C. (1970), Remote probing of atmosphere and wind velocity by millimeter waves, IEEE Trans. Ant. Prop. , AP-18 (4), 493-497.
- Shimabukuro, F. I. (1966), Propagation through the atmosphere at a wavelength of 3.3 mm, IEEE Trans. Ant. Prop. , AP-14 (2), 228-235.
- Shimabukuro, F. I. , and E. E. Epstein (1970), Attenuation and emission of the atmosphere at 3.3 mm, IEEE Trans. Ant. Prop. , AP-18 (4), 485-490.
- Staelin, D. H. (1969), Passive remote sensing at microwave wavelengths, Proc. IEEE, 57 (4), 427-439.
- Staelin, D. H. (1966), Measurement and interpolation of the microwave spectrum of the terrestrial atmosphere near 1 centimeter wavelength, J. Geophys. Res. , 71 (12), 2875-2881.
- Straiton, A. W. , and C. W. Tolbert (1960), Anomalies in the absorption of radio waves by atmospheric gases, Proc. IRE, 48 (5), 898-903.
- Sukhia, D. E. (1967), 35-GHz propagation in central Florida, 1967 Fall URSI and IEEE G-AP Symp. , Ann Arbor, Mich.

- Tolbert, C. W., and A. W. Straiton (1963), Synopsis of attenuation and emission investigations of 58 to 62 kMcs frequencies in the earth's atmosphere, Elec. Engrg. Res. Lab. Rept. No. 5-52, Univ. Texas, Austin.
- Tolbert, C. W., and A. W. Straiton (1956), Radio propagation measurements between Pikes Peak and Mt. Evans at a wavelength of 4.3 millimeters, Elec. Engrg. Res. Lab. Rept. No. 88, Univ. Texas, Austin.
- Tolbert, C. W., C. O. Britt, and J. H. Douglas (1959), Radio propagation measurements in the 100 to 118 kMcs spectrum, Elec. Engrg. Res. Lab. Rept. No. 107, Univ. Texas, Austin.
- Tolbert, C. W., C. O. Britt, and A. W. Straiton (1958), 2.15-millimeter radio frequency propagation studies over a 1.5-km path, Elec. Engrg. Res. Lab. Rept. No. 101, Univ. Texas, Austin.
- Tolbert, C. W., J. H. Douglas, and C. O. Britt (1958), Measured absorption of millimeter wavelengths by oxygen at partial atmospheric pressures, Elec. Engrg. Res. Lab. Rept. No. 100, Univ. Texas, Austin.
- Tolbert, C. W., L. C. Krause, and W. W. Bahn (1960), Solar emission and atmospheric attenuation of 2.15-millimeter wavelength radiation, Elec. Engrg. Res. Lab. Rept. No. 5-45, Univ. Texas, Austin.
- Tolbert, C. W., L. C. Krause, and D. E. Clardy (1960), Day and night emission and absorption of the earth's atmosphere at 4.3-millimeter wavelengths, Elec. Engrg. Res. Lab. Rept. No. 5-41, Univ. Texas, Austin.
- Tolbert, C. W., L. C. Krause, and A. W. Straiton (1964), Attenuation of the earth's atmosphere between the frequencies of 100 and 140 gigacycles per second, J. Geophys. Res., 69 (7), 1349-1357.
- Tolbert, C. W., A. W. Straiton, and J. H. Douglas (1958), Studies of 2.15-millimeter propagation at an elevation of 4 km and the millimeter spectrum, Elec. Engrg. Res. Lab. Rept. No. 104, Contracts No. 375(01), NR 371023, and No. 375(07), NR 371033, 16 pp, Univ. Texas, Austin.

- Tolbert, C. W., A. W. Straiton, and J. R. Gerhardt (1960), A study and analysis of anomalous atmospheric water vapor absorption of millimeter wavelength radiation, Elec. Engrg. Res. Lab. Rept. No. 117, Univ. Texas, Austin.
- Tolbert, C. W., A. W. Straiton, and R. A. Simons (1964), The attenuation and emission in the earth's atmosphere of the complex of 60 Gc/s oxygen lines, Elec. Engrg. Res. Lab. Rept. No. 5-53, Univ. Texas, Austin.
- Tolbert, C. W., A. W. Straiton, and R. A. Simons (1964), Attenuation and emission of the earth's atmosphere between the frequencies of 100 Gc and 160 Gc, Elec. Engrg. Res. Lab. Rept. No. 5-55, Univ. Texas, Austin.
- Tolbert, C. W., A. W. Straiton, and C. D. Tipton (1953), Propagation of 8.6-millimeter radio waves over a 50-mile path, Elec. Engrg. Res. Lab. Rept. No. 70, Univ. Texas, Austin.
- Tolbert, C. W., A. W. Straiton, and C. D. Tipton (1953), Propagation studies at 8.6-millimeter wavelength on 3.5-, 7-, and 13-mile paths, Elec. Engrg. Res. Lab. Rept. No. 69, Univ. Texas, Austin.
- Toong, H. D. (1967), Interpolation of atmospheric emission spectra near 1-centimeter wavelength, 1967 NEREM Record, IEEE Cat. 61-3749, 214.
- Townes, C. H., and F. R. Merritt (1946), Water spectrum near one-centimeter wavelength, Phys. Rev., 70 (7 and 8), 558-559.
- Tsao, C. K. H., J. T. deBettencourt, and P. A. Kullstam (1968), Design of millimeter wave communication systems, Microwave J., 11 (11), 47-51.
- Ulaby, F. T., and A. W. Straiton (1969), Atmospheric attenuation studies in the 183-325 GHz region, IEEE Trans. Ant. Prop., AP-17 (3), 337-342.
- Ulaby, F. T., and A. W. Straiton (1970), Atmospheric absorption of radio waves between 150 and 350 GHz, IEEE Trans. Ant. Prop., AP-18 (4), 479-485.
- VanVleck, J. H. (1947), The absorption of microwaves by oxygen, Phys. Rev., 71 (7), 413-424.

- VanVleck, J. H. (1947), The absorption of microwaves by uncondensed water vapor, *Phys. Rev.*, 71 (7), 425-433.
- Vogel, W. (1969), Radio attenuation and backscatter of radio waves in the millimeter region, *Elec. Engrg. Res. Lab. Tech. Rept. No. 69-3*, Univ. Texas, Austin.
- Vogler, L. E. (1970), Pulse distortion in resonant and nonresonant gases, *Radio Sci.*, 5 (11), 1301-1305.
- Vogler, L. E. (1969), Tropospheric pulse propagation, *ESSA Technical Rept. ERL 125-ITS 88*, U. S. Govt. Printing Office, Washington, D. C.
- Weger, E. (1960), Apparent sky temperatures in the microwave region, *J. Meteorol.*, 17 (2), 159-165.
- Weibel, G. E. and H. O. Dressel (1967), Propagation studies in millimeter-wave link systems, *Proc. IEEE*, 55 (4), 497-513.
- Westwater, E. R. (1965), Ground-based passive probing using the microwave spectrum of oxygen, *Radio Sci.*, 69D (9), 1201-1211.
- Wolff, I. and E. G. Linder (1935), Transmission of 9 centimeter electromagnetic waves, *Broadcast News*, No. 18, 10-13.
- Wulfsberg, K. N. (1967), Atmospheric attenuation at millimeter wavelengths, *Radio Sci.*, 2 (3), 319-324.
- Wulfsberg, K. N. (1964), Sky noise measurements at millimeter wavelengths, *Proc. IEEE*, 52 (3), 321-322.
- Young, E. H., Jr. (1964), The status and dynamic temperature characteristics of the oxygen line at the 2.5-millimeter wavelength, *Elec. Engrg. Res. Lab. Quarterly Engrg. Rept. No. 7*, Univ. Texas, Austin.
- Zhevakin, S. A. and A. P. Naumov (196), The coefficient of absorption of centimeter and millimeter radiowaves in atmospheric oxygen, *Radio Engrg. Electron. Phys.*, 10 (6), 844-852.
- Zhevakin, S. A. and A. P. Naumov (1964), Absorption of centimeter and millimeter radio waves by atmospheric water vapor, *Radio Engrg. Electron. Phys.*, 9, 1097-1105.

Zhevakin, S. A., V. S. Troitsky, and N. M. Tseytlin (1959), Radiation of atmosphere and investigation of the absorption of centimeter radio waves, Radio Engrg. Electron. Phys., 4 (1), 30-41.

Zimmerer, R. W., and M. Mizushima (1961), Precise measurement of the microwave absorption frequencies of the oxygen molecule and velocity of light, Phys. Rev., 121 (1), 152-155.

Section A - Propagation through
non-turbulent, clear atmosphere

Part 3 - Frequencies above 300 GHz

- Adiks, T. G., and V. I. Dianov-Klokov (1968), Molecular parameters of the O_2 absorption band at 0.7620μ and their use in calculating the transmission function, *Izv. Acad. Sci. USSR, Atmosph. Oceanic Phys.*, 4 (10), 605-609.
- Andreyev, S. D., and A. P. Gal'tsev (1970), Absorption of infrared radiation by water vapor in atmospheric windows, *Izv. Acad. Sci. USSR, Atmosph. Oceanic Phys.*, 6 (10), 630-633.
- Born, M., and E. Wolf (1965), Principles of Optics, 3rd ed., Pergamon, New York.
- Brookner, E., M. Kolker, and R. M. Wilmotte (1967), Deep-space optical communications, *IEEE Spectrum*, 4 (1), 75-82.
- Brown, W. P., Jr. (1967), Symposium on Modern Optics, ed. J. Fox, Brooklyn Polytechnic Press, Brooklyn, N. Y.
- Caddes, D. E. (1969), Optical communication experiment program, Sylvania Electronic Sys., Inc., Mt. View, Calif., Rept. NAS 8-21498 (Clearinghouse), App. E.
- Chu, T. S., and D. C. Hogg (1966), Attenuation of 3.392μ He-Ne laser radiation by methane in the atmosphere, *Bell Sys. Tech. J.*, 45 (2), 301-306.
- Earnshaw, K. B., and J. C. Owens (1967), A dual wavelength optical distance measuring instrument which corrects for air density, *IEEE J. Quantum Electron.*, QE-3 (11), 544-550.
- Elterman, L. (1964), Parameters for attenuation in the atmospheric windows for fifteen wavelengths, *Appl. Opt.*, 3 (6), 745-750.
- Fiocco, G., and G. Grams (1964), Observations of the aerosol layer at 20 km by optical radar, *J. Atmos. Sci.*, 21 (3), 323-324.
- Goodman, J. W. (1966), Comparative performance of optical-radar detection techniques, *IEEE Trans. Aerospace Electron. Sys.*, AES-2 (5), 526-535.
- Goodman, J. W. (1965), Some effects of target-induced scintillation on optical radar performance, *Proc. IEEE*, 53 (11), 1688-1700.

- Goodwin, F. E. (1970), A review of operational laser communication systems, Proc. IEEE, 58 (10), 1746-1752.
- Goodwin, F. E., and T. A. Nussmeier (1968), Optical heterodyne communications experiments at 10.6μ , IEEE Trans. Quantum Electron., QE-4 (10), 612-617.
- Gorchakov, G. I., and G. V. Rozenberg (1967), Correlation of the optical properties of finely dispersed hazes, Izv. Acad. Sci. USSR, Atmosph. Oceanic Phys., 3 (6), 348-353.
- Hannan, W. J., J. Bordogna, and D. Karlsons (1968), Experimental verification of laser communication system design equations, IEEE Trans. Commun. Technol. (Concise papers), COM-16 (4), 631-632.
- Harger, R. O. (1969), On processing optical images propagated through the atmosphere from objects with unknown motion parameters, pp. 95-103, Evaluation of Motion-Degraded Images, NASA Rept. SP-193, U. S. Govt. Printing Office, Washington, D. C.
- Hoversten, E. V. (1967), The atmosphere as an optical communication channel, IEEE International Convention Record, 15, Pt. II, 137-145.
- Hoversten, E. V., and R. S. Kennedy (1970), Efficient optical communication within the earth's atmosphere, pp. 5-1 - 5-13, Opto-Electronics Signal Processing Techniques, AGARD Conf. Proc. No. 50, Clearinghouse for Federal Scientific and Technical Information, Springfield, Va.
- Karp, S., E. L. O'Neill, and R. M. Gagliardi (1970), Communication theory for the free-space optical channel, Proc. IEEE, 58 (10), 1611-1626.
- Kennedy, R. S., and S. Karp, eds. (1969), Optical space communications, NASA Rept. SP-217, U. S. Govt. Printing Office, Washington, D. C.
- Kent, G. S., B. R. Clemesha, and R. W. Wright (1967), High altitude atmospheric scattering of light from a laser beam, J. Atmospheric Terrest. Phys., 29, 169-181.
- Kerker, M. (1969), The Scattering of Light and Other Electromagnetic Radiation, Academic Press, New York.

- Landry, M. J. , and J. R. Lochner (1969), Laser light detecting and ranging (LIDAR) systems GB-60A and GB-60B, Rept. SC-DR-67-850A, Sandia Lab. , Albuquerque, N. Mex.
- Lawrence, R. S. (1968), Experimental results in optical waves, Notes for CU-ESSA Electromagnetic Propagation Course, Boulder, Colo. (U. S. Dept. of Commerce, NOAA Res. Labs. , Boulder, Colo.)
- Lawrence, R. S. , and J. W. Strohbehn (1970), A survey of clear-air propagation effects relevant to optical communications, Proc. IEEE, 58 (10), 1523-1545.
- Long, R. K. (1966), Absorption at ruby laser wavelengths for low angle total atmospheric paths, Antenna Lab. , Dept. of Elec. Engrg. , Tech. Rept. No. 1579-3, Ohio State Univ. Res. Foundation, Columbus.
- Long, R. K. (1963), Absorption of laser radiation in the atmosphere, Antenna Lab. , Dept. of Elec. Engrg. , Tech. Rept. No. 1579-3, Ohio State Univ. Res. Foundation, Columbus.
- Long, R. K. (1963), Atmospheric attenuation of ruby lasers, Proc. IEEE (letter to Editor), 51 (5), 859-860.
- Lucy, R. F. , and K. Lang (1968), Optical communications experiments at 6328 Å and 10.6 μ, Appl. Opt. , 7 (10), 1965-1970.
- Lucy, R. F. , K. Lang, C. J. Peters, and K. Duval (1967), Optical superheterodyne receiver, Appl. Opt. , 6 (8), 1332-1342.
- McElroy, J. H. (1969), 10.6-micron laser communication experiment, Proc. 1969 International Telemetry Conf. , Sept. 15-17, Washington, D. C.
- Mocker, H. W. (1969), A 10.6-μ optical heterodyne communication system, Appl. Opt. , 8 (3), 677-684.
- Möller, F. (1964), Optics of the lower atmosphere, Appl. Opt. , 3 (2), 157-166.
- Montgomery, R. M. (1969), Ultra-fast pulsed laser systems study, Tech. Rept. No. AFAL-TR-68-359, Sylvania Electronics Systems, Mountain View, Calif.

- Montgomery, R. M., R. R. Carter, W. Metheny, and P. J. Titterton (1969), Experimental evaluation of ultra-fast pulsed laser communication techniques, presented at the 1969 IEEE Conf. Laser Engrg. and Applications, May 26-28, Washington, D. C.
- Moss, E. B. (1964), Some aspects of the pointing problem for optical communications in space, AIAA Paper No. 64-620, 1st AIAA Annual Meeting, 29 June-2 July, Washington, D. C.
- North American Rockwell (1968), Optical propagation measurements at Emerson Lake - 1968, Tech. Rept. No. NAS 1-7705, North American Rockwell Corp.
- Ochs, G. R., and R. S. Lawrence (1969), Measurements of laser beam spread and curvature over near-horizontal atmospheric paths, ESSA Tech. Rept. ERL 106-WPL 6, U.S. Govt. Printing Office, Washington, D. C.
- Owens, J. C. (1967), Optical refractive index of air: Dependence on pressure, temperature and composition, *Appl. Opt.*, 6 (1), 51-59.
- Penndorf, R. (1957), Tables of refractive index for standard air and the Rayleigh scattering coefficient for the spectral region between 0.2 and 20.0 μ and their application to atmospheric optics, *J. Opt. Soc. Am.*, 47 (2), 176-182.
- Pratt, W. K. (1969), Laser Communication Systems, Ch. 8, Wiley, New York.
- Randall, H. M., D. M. Dennison, N. Ginsburg, and I. R. Weber (1937), The far infrared spectrum of water vapor, *Phys. Rev.*, 52, 160-174.
- Rosner, R. D. (1968), Heterodyne detection of an optical signal after one-way propagation on an atmospheric path, *Proc. IEEE*, 56 (1), 126-128.
- Rozenberg, G. V. (1967), The properties of an atmospheric aerosol from optical data, *Izv. Acad. Sci. USSR, Atmosph. Oceanic Phys.*, 3 (9), 545-552.
- Rozenberg, G. V. (1960), Light scattering in the earth's atmosphere, *Sov. Phys. - USP*, 3 (3), 346-371.

- Saleh, A. (1967), Comments on 'Laser wave propagation through the atmosphere', Proc. IEEE (Letters), 55 (7), 1209.
- Sloan, R. , J. H. Shaw, and D. Williams (1955), Infrared emission spectrum of the atmosphere, J. Opt. Soc. Am. , 45 (6), 455-460.
- Stephenson, J. C. , W. A. Haseltine, and C. B. Moore (1967), Atmospheric absorption of CO₂ laser radiation, Appl. Phys. Lett. , 11 (5), 164-166.
- Stewart, H. S. , and R. F. Hopfield (1965), Atmospheric effects, ed. R. Kingslake, Applied Optics and Optical Engineering, 1, 131-140, Academic Press, New York.
- Straus, T. M. , J. E. Kiefer, and F. Chethik (1966), Laser communication study, Final Rept. FR 66-14-37, Contract DA 28-043-AMC 00195(E), Hughes Aircraft Co. , Culver City, Calif.
- Takamiya, S. , F. Kitasawa, and J. Nishizawa (1968), Amplitude modulation of diode laser light in millimeter-wave region, Proc. IEEE (Letters), 56 (1), 135-136.
- Toolin, R. B. (1965), Atmospheric optics-reflectance, ed. E. L. Valley, Handbook of Geophysics and Space Environments, Sec. 7.2, Air Force Cambridge Res. Labs. , L. G. Hanscom Field, Bedford, Mass.
- Walsh, D. H. (1968), Laboratory measurement of multiple scattering of coherent optical radiation by a nonabsorbing aerosol, Appl. Opt. , 7 (6), 1212-1219.
- Ward, J. H. (1968), A narrow beam, broad bandwidth optical communications system, Rept. NAS 8-20629, ITT, Inc. , San Fernando, Calif.

Section B - Propagation through
turbulent, clear atmosphere

Part 1 - **General**

- Barrow, B. B. (1968), Tropospheric scatter measurements using a rake receiver, Tropospheric Wave Prop. Conf. Publ. 48, IEE, London.
- Barrow, B. B. , L. G. Abraham, W. M. Cowan, Jr. , and R. M. Gallant (1969), Indirect atmospheric measurements utilizing rake tropospheric scatter techniques - Part I: The rake tropospheric scatter technique, Proc. IEEE, 57 (4), 537-551.
- Barrows, J. T. (1964), Residual range and range rate errors due to the troposphere, Tech. Rept. No. ESD-TDR-64-103, 143, MITRE Corp. , Bedford, Mass.
- Barton, D. K. (1963), Reasons for the failure of radio interferometers to achieve their expected accuracy, Proc. IEEE, 51 (4), 626-627.
- Batchelor, G. K. (1959), The Theory of Homogeneous Turbulence, Cambridge, Univ. Press, London, England.
- Beard, C. I. , W. T. Kreiss, and W. G. Tank (1969), A multiwavelength line-of-sight experiment for remote atmospheric sensing, Proc. IEEE, 57 (4), 446-458.
- Bello, P. A. (1969), A troposcatter channel model, IEEE Trans. Comm. Technol., COM-17 (2), 130-137.
- Bello, P. A. (1963), Characterization of randomly time-variant linear channels, IEEE Trans. Comm. Sys. , CS-11 (4), 360-393.
- Beran, M. J. (1967), Propagation of a spherically symmetrical mutual coherence function through a random medium, IEEE Trans. Ant. Prop. , AP-15 (1), 66-69.
- Beran, M. J. (1966), Propagation of the mutual coherence function through random media, J. Opt. Soc. Am. , 56 (11), 1475-1480.
- Birkmeier, W. P. , P. F. Duvoisin, A. B. Fontaine, and D. W. Thomson (1969), Indirect atmospheric measurements utilizing rake tropospheric scatter techniques - Part II: Radiometeorological interpretation of rake channel-sounding observations, Proc. IEEE, 57 (4), 552-559.
- Birkmeier, W. P. , H. S. Merrill, Jr. , D. R. Sargeant, D. W. Thomson, C. M. Beamer, and G. T. Bergmann (1968), Observation of wind-produced Doppler shifts in tropospheric scatter propagation, Radio Sci. , 3 (4), 309-317.

- Birkemeier, W. P., and D. W. Thomson (1968), Observations of atmospheric structure with phase-coherent measurements of troposcatter multipath and Doppler shift, Proc. Conf. Tropospheric Wave Propagation, Conf. Publication No. 48, IEE, London.
- Bitzer, D. R., D. A. Chesler, R. Ivers, and S. Stein (1966), A rake system for tropospheric scatter, IEEE Trans. Commun. Technol., COM-14 (4), 499-506.
- Bolgiano, R., Jr. (1960), A theory of wavelength dependence on ultrahigh frequency transhorizon propagation based on meteorological considerations, J. Res. NBS, 64D (3), 231-237.
- Boucher, R. J., R. Wexler, D. Atlas, and R. M. Lhermitte (1965), Mesoscale wind structure revealed by Doppler radar, J. Appl. Meteorol., 4 (5), 590-597.
- Bramley, E. N. (1968), Correlation of signal fluctuations at two frequencies in propagation through an irregular medium, Proc. IEE, 115 (10), 1439-1442.
- Brown, W. P., Jr. (1967), Propagation in random media - Cumulative effect of weak inhomogeneities, IEEE Trans. Ant. Prop., AP-15 (1), 81-89.
- Brown, W. P., Jr. (1967), Validity of the Rytov approximation, J. Opt. Soc. Am., 57 (12), 1539-1543.
- Bushbridge, I. (1960), Mathematics of Radiative Transfer, Cambridge Univ. Press, London.
- Carlson, F. P. (1967), Propagation in stationary and locally stationary random media, Ph.D. Thesis, Univ. Washington, Seattle.
- Carlson, F. P., and A. Ishimaru (1969), Propagation of spherical waves in locally homogeneous random media, J. Opt. Soc. Am., 59 (3), 319-327.
- Carlson, F. P., and A. Ishimaru (1967), Spherical wave propagation in a non-stationary medium, paper presented at Fall URSI Meeting, Ann Arbor, Mich.
- Chandrasekhar, S. (1958), On the diffuse reflection of a pencil of radiation by a plane-parallel atmosphere, Proc. Nat. Acad. Sci., 44 (9), 933-940.

- Chandrasekhar, S. (1950), Radiative Transfer, Clarendon Press, Oxford, Eng.
- Chernov, L. A. (1960), Wave Propagation in a Random Medium transl. by R. A. Silverman, McGraw-Hill Book Co., New York.
- Cox, D. C. (1969), Review of techniques in transhorizon propagation research and their relationship to parameters of the troposphere, Radio Sci., 4, (10), 905-925.
- Cox, D. C., N. Cianos, and A. T. Waterman, Jr. (1970), A technique for obtaining the Doppler spectrum from sampled amplitude-phase data in a data-gathering array, IEEE Trans. Ant. Prop., AP-18 (4), 580-582.
- Cox, D. C., and A. T. Waterman, Jr. (1968), Phase and amplitude of transhorizon microwaves; vertical space correlations, paper presented at the Fall URSI Conf., Boston, Mass.
- Crane, R. K. (1969), Predictions of transhorizon field strength using modeling techniques, Tech. Note. 1969-53, ASTIA Doc. AD-698335, M. I. T. Lincoln Lab., Lexington, Mass.
- Crane, R. K. (1968), Monostatic and bistatic scattering from thin turbulent layers in the atmosphere, Tech. Note 34, 1-19, M. I. T. Lincoln Labs., Lexington, Mass. (Also presented at Fall URSI Conf., Boston.)
- Egan, W. G., and H. B. Hallock (1969), Coherence-polarization phenomena in remote sensing, Proc. IEEE, 57 (4), 621-628.
- Fannin, B. M. (1956), Line-of-sight wave propagation in a randomly inhomogeneous medium, IRE Trans. Ant. Prop., AP-4 (4), 661-665.
- Fried, D. L. (1968), Diffusion analysis for the propagation of mutual coherence, J. Opt. Soc. Am., 58 (7), 961-969.
- Fried, D. L. (1967), Propagation of a spherical wave in a turbulent medium, J. Opt. Soc. Am., 57 (2), 175-180.
- Fried, D. L. (1966), Limiting resolution looking down through the atmosphere, J. Opt. Soc. Am., 56 (10), 1380-1384.
- Fried, D. L., and J. D. Cloud (1966), Propagation of an infinite plane wave in a randomly inhomogeneous medium, J. Opt. Soc. Am., 56 (12), 1667-1676.

- Friedlander, S. K., and L. Topper, eds. (1961), Turbulence, Interscience, New York.
- Frisch, V. (1968), Wave propagation in random media, Probabilistic Methods in Applied Mathematics, ed. A. T. Bharucha-Reid, Academic Press, New York, 75-198.
- Gerks, I. H. (1968), A simple statistical model for tropospheric scatter, paper presented at Fall URSI Conf., Boston, Mass.
- Glover, K. M., R. J. Boucher, H. E. Ottersten, and K. R. Hardy (1968), Radar aircraft and meteorological investigation of clear-air turbulence, Proc. 13th Radar Meteorol. Conf., McGill Univ., Montreal, 242-247.
- Grant, I. P., and G. E. Hunt (1968), Solution of radiative transfer problems in planetary atmospheres, Icarus, 9, 526-534.
- Halme, S. J. (1968), On optimum reception through a turbulent atmosphere, Res. Lab. of Electron. Quarterly Progress Rept. No. 88, 247-254, M. I. T., Cambridge, Mass.
- Haralick, R. M., and G. L. Kelly (1969), Pattern recognition with measurement space and spatial clustering for multiple images, Proc. IEEE, 57 (4), 654-665.
- Hardy, K. R., D. Atlas, and K. M. Glover (1966), Multiwavelength backscatter from the clear atmosphere, J. Geophys. Res., 71 (6), 1537-1552.
- Heidbreder, G. R. (1967), Multiple scattering and the method of Rytov, J. Opt. Soc. Am., 57 (12), 1477-1479.
- Heidbreder, G. R., and R. L. Mitchell (1966), Effect of a turbulent medium on the power pattern of a wavefront-tracking circular aperture, J. Opt. Soc. Am., 56 (12), 1677-1684.
- Helstrom, C. W. (1969), Detection and resolution of incoherent objects seen through a turbulent medium, J. Opt. Soc. Am., 59 (3), 331-341.
- Ho, T. L., and M. J. Beran (1968), Propagation of the fourth-order coherence function in a random medium, J. Opt. Soc. Am., 58 (10), 1335-1341.

- Hoffman, W. C. (1964), Wave propagation in a general random continuous medium, Proc. Symposium in Applied Mathematics, ed. R. Bellman, Providence, R. I., American Mathematical Soc., 16, 117-144.
- Hoversten, E. V., R. O. Harger, and S. J. Halme (1970), Communication theory for the turbulent atmosphere, Proc. IEEE, 58 (10), 1626-1650.
- Hufnagel, R. E. (1966), An improved model turbulent atmosphere, NAS Woods Hole Summer Study 2, App. 3, 15-18.
- Hufnagel, R. E., and N. R. Stanley (1964), Modulation transfer function associated with image transmission through turbulent media, J. Opt. Soc. Am., 54 (1), 52-61.
- Ishimaru, A. (1969), Fluctuations of a beam wave propagating through a locally homogeneous medium, Radio Sci., 4 (4), 295-305.
- Ishimaru, A. (1969), Fluctuations of a focused beam wave for atmospheric turbulence probing, Proc. IEEE, 57 (4), 407-414.
- Ishimaru, A. (1966), Temporal frequency spectra of multifrequency waves in a turbulent atmosphere, Dept. of Elec. Engrg., Scientific Rept. No. 2, Univ. Washington, Seattle.
- Ishimaru, A., and F. P. Carlson (1967), Beam wave propagation in a random medium, paper presented at the Fall URSI Meeting, Ann Arbor, Mich.
- Kazarian, R. A., A. S. Gurvich, R. G. Manucharian, and E. S. Vartanian (1970), Measurement of the average structural characteristic of the atmospheric refractive index, Proc. IEEE, 58 (10), 1546-1547.
- Keller, J. B. (1964), Stochastic equations and wave propagation in random media, Proc. Symposium in Applied Mathematics, ed. R. Bellman, Providence, R. I., American Mathematical Soc., 16, 145-170.
- Keller, J. B. (1962), Wave propagation in a random media, Proc. Symposium in Applied Mathematics, eds. G. Birkhoff, R. Bellman, and C. C. Lin, Providence, R. I., American Mathematical Soc., 13, 227-246.
- Kennedy, R. S. (1969), Fading Dispersion Communication Channels, John Wiley and Sons, Inc., New York.

- Kolmogorov, A. (1961), in Turbulence, Classic Papers on Statistical Theory, 151, eds. S. K. Friedlander and L. Topper, Interscience, New York.
- Krishen, K. (1970), Scattering of electromagnetic waves from a layer with rough front and plane back (small perturbation method by Rice), IEEE Trans. Ant. Prop., AP-18 (4), 573-576.
- Lee, R. W., and J. C. Harp (1969), Weak scattering in random media, with applications to remote probing, Proc. IEEE, 57 (4), 375-406.
- Lowan, A. N. (1949), Tables of Scattering Functions for Spherical Particles, NBS Appl. Math. Ser. 4, U.S. Govt. Printing Office, Washington, D. C.
- Lumley, J. L., and H. A. Panofsky (1964), The Structure of Atmospheric Turbulence, John Wiley and Sons., Inc., New York.
- McGlamery, B. L. (1967), Restoration of turbulence-degraded images, J. Opt. Soc. Am., 57 (3), 293-297.
- Ottersten, H. (1968), Theoretical aspects of clear air turbulence detection by radar, Proc. 13th Radar Meteorol. Conf., McGill Univ., Montreal, 252-257.
- Peskoff, A. (1968), Theory of remote sensing of clear-air turbulence profiles, J. Opt. Soc. Am., 58 (8), 1032-1040.
- Peters, W. N., and R. J. Arguello (1967), Fading and polarization noise of a PCM/PL system, IEEE J. Quantum Elec., QE-3 (11), 532-539.
- Romanova, L. M. (1965), The distribution of photon paths in a plane layer of a uniform turbid medium, Izv. Acad. Sci. USSR, Atmosph. Oceanic Phys., 1 (10), 596-602.
- Sekera, Z. (1963), Radiative transfer in a planetary atmosphere with imperfect scattering, Rept. No. R-413, The Rand Corp., Santa Monica, Ca.
- Silverman, R. A. (1959), A matching theorem for locally stationary random processes, Comm. on Pure & Applied Math., XII (2), 373-383.
- Silverman, R. A. (1958), Scattering of plane waves by locally homogeneous dielectric noise, Proc. Cambridge Philos. Soc., 54, 530-537.

- Silverman, R. A. (1957), Locally stationary random processes, IRE Trans. Info. Theory, IT-3 (3), 182-187.
- Sobolev, V. V. (1963), A Treatise on Radiative Transfer, transl. by S. I. Gaposchkin, VanNostrand, New York.
- Strohbehn, J. W. (1968), Line-of-sight wave propagation through the turbulent atmosphere, Proc. IEEE, 56 (8), 1301-1318.
- Strohbehn, J. W. (1968), Comments on Rytov's method, J. Opt. Soc. Am. , 58 (1), 139-140.
- Strohbehn, J. W. , and S. F. Clifford (1967), Polarization and angle-of-arrival fluctuations for a plane wave propagated through a turbulent medium, IEEE Trans. Ant. Prop. , AP-15 (3), 416-421.
- Tatarski, V. I. (1967), Wave Propagation in a Turbulent Medium, Dover, New York.
- Tatarski, V. I. (1964), Propagation of electromagnetic waves in a medium with strong dielectric-constant fluctuations, Soc. Phys. JETP (English transl.), 19 (4), 946-953.
- Tatarski, V. I. (1962), Second approximation in the problem of wave propagation in media with random inhomogeneities, Izv. Vyssh. Ucheb. Zaved. Radiofiz. , 5 (3), 490-507.
- Tatarski, V. I. (1961), Wave Propagation in a Turbulent Medium, McGraw-Hill, New York.
- Tatarski, V. I. , and M. E. Gertsenshtein (1963), Propagation of waves in a medium with strong fluctuation of the refractive index, Sov. Phys. JETP (English transl.), 17 (2), 458-463.
- Taylor, G. I. (1938), The spectrum of turbulence, Proc. Roy. Soc. , A164 , 476-490. (Also reprinted in the Scientific Papers of Sir Geoffrey Ingram Teylor, II, ed. G. K. Batchelor, 1960, Cambridge Univ. Press, London, 453-465.)
- Tewarson, S. P. (1966), Reciprocity equations for isotropic opalescent scattering media, Indian J. Phys. , 40, 281-293.

- Thompson, M. C. , Jr. (1970), Tropospheric propagation effects on precise electromagnetic measurement of distance, Phase and Frequency Instabilities in Electromagnetic Wave Propagation, AGARD Conf. Proc. No. 33, ed. K. Davies, Technivision Services, Slough, England, 613-628.
- Vartanyan, E. S. , A. S. Gurvich, R. A. Kazaryan, and R. G. Manucharyan (1970), Measurement of structural characteristics of the refractive index of the atmosphere on a link 25 km long, *Izv. Acad. Sci. USSR, Atmosph. Oceanic Phys.* , 6 (8), 498-499.
- Weiss, R. R. , and H. M. Swarm (1969), Electromagnetic scatter from small dielectric gradients in a continuous medium, *Proc. IEEE*, 57 (4), 421-427.
- Wheelon, A. D. (1959), Radio-wave scattering by tropospheric irregularities, *J. Res. NBS*, 63D (2), 205-233.
- Wheelon, A. D. (1957), Relation of radio measurements to the spectrum of tropospheric dielectric fluctuations, *J. Appl. Phys.* , 28 (6), 684-693.
- Wheelon, A. D. (1955), Near-field corrections to line-of-sight propagation, *Proc. IRE*, 43 (10), 1459-1466.
- deWolf, D. A. (1971), Electromagnetic reflection from an extended turbulent medium: cumulative forward-scatter single-backscatter approximation, *IEEE Trans. Ant. Prop.* , AP-19 (2), 254-262.
- deWolf, D. A. (1969), Are strong irradiance fluctuations log-normal or Rayleigh distributed? *J. Opt. Soc. Am.* , 59 (11), 1455-1460.
- deWolf, D. A. (1968), Saturation of irradiance fluctuations due to turbulent atmosphere, *J. Opt. Soc. Am.* , 58 (4), 461-466.
- deWolf, D. A. (1967), Multiple scattering in random continuum, *Radio Sci.* , 2 (11), 1379-1392.
- deWolf, D. A. (1967), Validity of Rytov's approximation, *J. Opt. Soc. Am.* , 57 (8), 1057-1058.
- Wood, L. E. , and M. C. Thompson, Jr. (1970), Oscillator synchronization via satellite, *Radio Sci.* , 5 (10), 1249-1252.

Wood, L. E. , and M. C. Thompson, Jr. (1969), Technique for improving the accuracy of air-to-ground radio distance measurement systems, ESSA Tech. Rept. ERL 108-ITS 76, U.S. Govt. Printing Office, Washington, D. C.

Wood, L. E. , and M. C. Thompson, Jr. (1968), Simultaneous measurement of the transit time of radio and optical signals, Appl. Opt., 7 (10), 1955-1959.

Wood, L. E. , M. C. Thompson, Jr. , H. B. Janes, and T. K. Grady (1970), Experimental studies of atmospheric effects on radio and optical signals, Laser Applications in the Geosciences, 97-107, eds. J. Gauger and F. F. Hall, McDonnell-Douglas (Western Periodicals Co. , 13000 Raymer St. , N. Hollywood, Calif. , 91605).

Yura, H. T. (1968), Electromagnetic field and intensity fluctuations in a weakly inhomogeneous medium, RM-5697-PR, The Rand Corp., Santa Monica, Calif.

Yura, H. T. (1968), Far-field intensity distribution from a diffracting aperture in a turbulent medium, RM-5710-ARPA, The Rand Corp. , Santa Monica, Calif.

Section B - Propagation through
turbulent, clear atmosphere

Part 2 - Frequencies below 300 GHz

Altshuler, E. E., U. H. W. Lammers, J. W. B. Day, and K. S. McCormick (1968), A troposcatter propagation experiment at 15.7 GHz over a 500 km path, Proc. IEEE, 56 (10), 1729-1731.

Beard, C. I. (1968), Phase quadrature components on the 10.4 GHz scattered field on a short tropospheric path, Proc. IEEE, 56 (8), 1398-1399.

Clifford, S. F., and J. W. Strohbehn (1970), The theory of microwave line-of-sight propagation through a turbulent atmosphere, IEEE Trans. Ant. Prop., AP-18 (2), 264-274.

Etcheverry, R. D., G. R. Heidbreder, W. A. Johnson, and H. J. Wintroub (1967), Measurements of spatial coherence in 3.2-millimeter horizontal transmissions, IEEE Trans. Ant. Prop., AP-15 (1), 136-141.

Heidbreder, G. R., and R. L. Mitchell (1967), Wavefront statistics in 3.2-mm line-of-sight transmission, AF Rept. SAMSO-TR-67-120, Space and Missile Sys. Organization, AF Systems Comd., Los Angeles Air Force Station. (Also listed under Aerospace Corp., Elec. Res. Lab. Rept. No. TR-0158(3230-46)-2, 25 pp.)

Lane, J. A. (1968), Scintillation and absorption fading on line-of-sight links at 35 and 100 GHz, Tropospheric Wave Propagation Conf. Publication No. 48, IEE, London.

Lillesaeter, O. (1964), Scattering of microwaves by adjacent water droplets in air, Nature, 202 (4937), 1103-1104.

Maryott, A. A., and G. Birnbaum (1955), Microwave absorption in compressed oxygen, Phys. Rev., 99 (6), 1886.

Muchmore, R. B., and A. D. Wheelon (1955), Line-of-sight propagation phenomena - I. Ray treatment, and II. Scattered components, Proc. IRE, 43 (10), 1437-1458.

Norton, K. A., et al. (1961), An experimental study of phase variations in line-of-sight microwave transmissions, NBS Monograph 33, U. S. Govt. Printing Office, Washington, D. C.

Thompson, M. C., Jr. (1967), Investigation of phase variations at centimeter wavelengths, paper presented at NATO Advanced Study Inst. on Structure of the Lower Atmosphere and Electromagnetic Wave Propagation, Aberystwyth, Wales.

- Thompson, M. C. , Jr. (1966), The effects of propagation on measurements of distance, angle of arrival, and Doppler effect in ground-to-ground systems, Proc. URSI Gen'l. Assembly, Progress in Radio Science, 1963-66, I (11), 579-595.
- Thompson, M. C. , Jr. (1965), An analysis of the effects of ground reflection in line-of-sight phase systems, IEEE Trans. Ant. Prop. , AP-13 (4), 564-567.
- Thompson, M. C. , Jr. , and H. B. Janes (1971), Effects of sea reflections on phase of arrival of line-of-sight signals, IEEE Trans. Ant. Prop. , AP-19 (1), 105-108.
- Thompson, M. C. , Jr. , and H. B. Janes (1970), Measurement of phase-front distortion on an elevated line-of-sight path, IEEE Trans. Aerospace Electron. Sys. , AES-6 (5), 645-656.
- Thompson, M. C. , Jr. , and H. B. Janes (1969), Sea multipath effects in microwave range and velocity measurements, paper presented at Symposium on Application of Atmospheric Studies to Satellite Transmission, Sept. 3-5, Boston, Mass.
- Thompson, M. C. , Jr. , and H. B. Janes (1967), Some recent measurements of atmospheric limitations to the precision of microwave distance measuring equipment, Osterreichischen Zeitschrift für Vermessungswesen, Sonderheft 25, 200-204.
- Thompson, M. C. , Jr. , and H. B. Janes (1966), Antenna aperture size effect on tropospheric phase noise, IEEE Trans. Ant. Prop. , AP-14 (6), 800-802.
- Thompson, M. C. , Jr. , and H. B. Janes (1964), Radio path length stability of ground-to-ground microwave links, NBS Tech. Note No. 219, U. S. Govt. Printing Office, Washington, D. C.
- Thompson, M. C. , Jr. , and H. B. Janes (1959), Measurement of phase stability over a low-level tropospheric path, J. Res. NBS, 63D (Radio Prop.) (1), 45-51.
- Thompson, M. C. , Jr. , and D. M. Waters (1967), Radio-optical dispersion observed over a 25-km tropospheric path, IEEE Trans. Ant. Prop. , AP-15 (3), 487-488.

- Thompson, M. C., Jr., H. B. Janes, and A. W. Kirkpatrick (1960), An analysis of time variations in tropospheric refractive index and apparent radio path length, *J. Geophys. Res.*, 65 (1), 193-201.
- Thompson, M. C., Jr., H. B. Janes, and D. Smith (1966), Experimental study of atmospheric errors in microwave azimuth measurements, ESSA Technical Report IER 4-ITSA 4, U.S. Govt. Printing Office, Washington, D. C.
- Thompson, M. C., Jr., A. W. Kirkpatrick, and W. B. Grant (1968), Measurements of radio refractive index microstructure of the atmosphere near ground, *J. Geophys. Res.*, 73 (20), 6425-6433.
- Titterton, P. J. (1970), Estimate of the scale height of the atmospheric refractive-index structure constant, *J. Opt. Soc. Am.*, 60 (3), 417-418.
- Tolbert, C. W., C. O. Britt, and A. W. Straiton (1957), Antenna pattern fluctuations at 4.3 millimeter wavelengths due to atmospheric inhomogeneities, *Elec. Engrg. Res. Lab. Rept. No. 96*, Univ. Texas, Austin.
- Tolbert, C. W., S. A. Brunstein, and C. O. Britt (1958), Field strength fluctuations of 4.3-millimeter radio waves and their effects, *Elec. Engrg. Res. Lab. Rept. No. 5-33*, Univ. Texas, Austin.
- Tolbert, C. W., B. M. Fannin, and A. W. Straiton (1956), Amplitude and phase difference fluctuations of 8.6-millimeter and 3.2-centimeter radio waves on line-of-sight paths, *Elec. Engrg. Res. Lab. Rept. No. 78*, Univ. Texas, Austin.
- Unger, J. H. W. (1966), Random tropospheric angle errors in microwave observations of the Early Bird satellite, *Bell Sys. Tech. J.*, 45 (9), 1439-1474.
- Vignali, J. A. (1970), Overwater line-of-sight fade and diversity measurements at 37 GHz, *IEEE Trans. Ant. Prop.*, AP-18 (4), 463-471.

Section B - Propagation through
turbulent, clear atmosphere

Part 3 - Frequencies above 300 GHz

- Artem'yev, A. V. (1969), Distortion of coherence by atmospheric turbulence, *Radio Eng. and Electron. Phys.*, 14 (3), 469-471.
- Beckman, P. (1965), Signal degeneration in laser beams propagated through a turbulent atmosphere, *Radio Sci. J. Res. NBS/USNC-URSI*, 69D(4), 629-640.
- Bertolotti, M., M. Carnevale, L. Muzii, and D. Sette (1968), Interferometric study of phase fluctuations of a laser beam through the turbulent atmosphere, *Appl. Opt.*, 7 (11), 2246-2251.
- Bouricius, G. M. B., and S. F. Clifford (1970), Experimental study of atmospherically-induced phase fluctuations in an optical signal, *J. Opt. Soc. Am.*, 60 (11), 1484-1489.
- Brookner, E. (1970), Atmosphere propagation and communication channel model for laser wavelengths, *IEEE Trans. Commun. Technol.*, COM-18 (4), 396-416. (Also Raytheon WR-700133.)
- Brookner, E. (1970), Multipath dispersion for the atmosphere laser channel, *Proc. IEEE*, 58 (10), 1767-1769.
- Brookner, E. (1969), Limit imposed by atmospheric dispersion on the minimum laser pulsewidth that can be transmitted undistorted, *Proc. IEEE (Letters)*, 57 (6), 1234-1235.
- Brown, W. P., Jr. (1967), Coherent field in a random medium - Effective refractive index, *Modern Optics*, ed. J. Fox, Polytechnic Press, Brooklyn, N. Y., 717-742.
- Brown, W. P., Jr. (1966), Validity of the Rytov approximation in optical propagation calculations, *J. Opt. Soc. Am.*, 56 (8), 1045-1052.
- Buck, A. L. (1967), Effects of the atmosphere on laser beam propagation, *Appl. Opt.*, 6 (4), 703-708.
- Buck, A. L. (1965), Laser propagation in the atmosphere, *Proc. Conf. Atmosph. Limitations to Optical Propagation*, Central Radio Propagation Lab. and National Center for Atmospheric Res., 27-38, Boulder, Colo.
- Bucknam, J. N. (1969), Direct detection of optical signals in the presence of atmospheric turbulence, M.S. Thesis, Dept. Elec. Engrg., M.I.T., Cambridge, Mass.
- Bullrick, K. (1964), Scattered radiation in the atmosphere and the natural aerosol, *Advances in Geophysics*, Academic Press, New York

- Buser, R. G., and G. K. Born (1969), Determination of atmospherically induced phase fluctuations by long distance interferometry at 6328 \AA , presented at 1969 Annual Meeting Opt. Soc. Am., Oct. 21-24, Chicago, Illinois.
- Carlson, F. P. (1969), Application of optical scintillation measurements to turbulence diagnostics, J. Opt. Soc. Am., 59 (10), 1343-1347.
- Carrier, L. W., and L. J. Nugent (1965), Comparison of some recent experimental results of coherent and incoherent light scattering with theory, Appl. Opt., 4 (11), 1457-1462.
- Chase, D. M. (1966), Power loss in propagation through a turbulent medium for an optical-heterodyne system with angle tracking, J. Opt. Soc. Am., 56 (1), 33-44.
- Chu, T. S. (1967), On the wavelength dependence of the spectrum of laser beams traversing the atmosphere, Appl. Opt., 6 (1), 163-164.
- Consortini, A., L. Ronchi, A. M. Scheggi, and G. Toraldo di Francia (1966), Deterioration of the coherence properties of a laser beam by atmospheric turbulence and molecular scattering, Radio Sci., 1 (4), 523-530.
- Consortini, A., L. Ronchi, A. M. Scheggi, and G. Toraldo di Francia (1965), Deterioration of the coherence properties of a laser beam by atmospheric limitations to optical propagation, 69-99, Proc. Conf. Atmosph. Limitations to Optical Propagation, Boulder, Colo.
- Consortini, A., L. Ronchi, A. M. Scheggi, and G. Toraldo di Francia (1964), Influence of atmospheric scattering on the line-width of a laser beam, Alta Frequenza, XXXIII (11), 714-719.
- Consortini, A., L. Ronchi, A. M. Scheggi, and G. Toraldo di Francia (1963), Influence on the atmospheric turbulence on the space coherence of a laser beam, Alta Frequenza, XXXII (11), 790-794.
- Curcio, J. A., and L. F. Drummeter, Jr. (1964), Experimental observations of forward scattering of light in the lower atmosphere, U. S. Naval Res. Lab. Rept. 6152, Washington, D. C.
- Curcio, J. A., G. L. Knestruck, T. H. Cosden, and L. F. Drummeter, Jr. (1961), The transmission of light signals beyond the horizon, U. S. Naval Res. Lab. Rept. 5676, Washington, D. C.

- Davis, J. I. (1966), Consideration of atmospheric turbulence in laser systems design, *Appl. Opt.*, 5 (1), 139-147.
- Deitz, P. H. (1967), Optical method for analysis of atmospheric effects on laser beams, *Ballistic Res. Labs. Memo Rept. 1840*, Aberdeen Proving Ground, Md. (Also *Proc. Symp. Modern Optics*, Polytechnic Press, Brooklyn, N. Y., 757-774.)
- Deitz, P. H., and N. J. Wright (1968), Saturation of scintillation magnitude in near-earth optical propagation, *Ballistic Res. Labs. Memo Rept. 1941*, Aberdeen Proving Ground, Md. (Also *J. Opt. Soc. Am.*, 59 (5) (1969), 527-535.)
- Dell-Imagine, R. A. (1966), A study of multiple scattering of optical radiation with applications to laser communications, *Advances in Communication Systems, II*, ed. V. A. Balakrishnan, Academic Press, New York, 1-50.
- Ehrenberg, J. E. (1967), A study of the effects of atmospheric turbulence properties at 6328 \AA and 1.15μ , M. S. Thesis, Dept. Elec. Engrg., M. I. T., Cambridge, Mass.
- Fitzmaurice, M. W., J. L. Bufton, and P. O. Minott (1969), Wavelength dependence of laser beam scintillation, *J. Opt. Soc. Am.*, 59 (1), 7-10.
- Fried, D. L. (1969), Remote probing of the optical strength of atmospheric turbulence and of wind velocity, *Proc. IEEE*, 57 (4), 415-420.
- Fried, D. L. (1967), Optical heterodyne detection of an atmospherically distorted signal wave front, *Proc. IEEE*, 55 (1), 57-67.
- Fried, D. L. (1967), Scintillation of a ground-to-space laser illuminator, *J. Opt. Soc. Am.*, 57 (8), 980-983.
- Fried, D. L. (1967), Aperture averaging of scintillation, *J. Opt. Soc. Am.*, 57 (2), 169-175.
- Fried, D. L. (1967), Atmospheric modulation noise in an optical heterodyne receiver, *IEEE J. Quantum Electron.*, QE-3 (6), 213-221.
- Fried, D. L. (1966), Optical resolution through a randomly inhomogeneous medium for very long and very short exposures, *J. Opt. Soc. Am.*, 56 (10), 1372-1379.

- Fried, D. L. (1965), The effect of wave front distortion on the performance of an ideal optical heterodyne receiver and an ideal camera, Proc. Conf. on Atmosph. Limitations to Optical Propagation, 192-241, Boulder, Colo.
- Fried, D. L. , and J. D. Cloud (1965), Optical propagation in the atmosphere at low altitudes: Theoretical evaluation and experimental determination of the phase structure function, Proc. Conf. Atmosph. Limitations to Optical Propagation, 242-264, Boulder, Colo.
- Fried, D. L. , and R. A. Schmeltzer (1967), The effect of atmospheric scintillation on an optical channel - Laser radar and binary communications, Appl. Opt. , 6 (10), 1729-1737.
- Fried, D. L. , and J. B. Seidman (1967), Laser beam scintillation in the atmosphere, J. Opt. Soc. Am. , 57 (2), 181-185.
- Fried, D. L. , G. E. Mevers, and M. P. Keister, Jr. (1967), Measurements of laser beam scintillation in the atmosphere, J. Opt. Soc. Am. , 57 (6), 787-797.
- Gardner, S. (1964), Some effects of atmospheric turbulence on optical heterodyne communications, IEEE Convention Record, 12, Pt. 6, 337-342.
- Gaskill, J. D. (1969), Atmospheric degradation of holographic images, J. Opt. Soc. Am. , 59 (3), 308-318.
- Gaskill, J. D. (1968), Imaging through a randomly inhomogeneous medium by wavefront reconstruction, J. Opt. Soc. Am. , 58 (5), 600-608.
- Gebhart, F. G. (1958), The log-amplitude mean value for laser beam propagation in the atmosphere, with applications for optical communications, Electro. Sci. Lab. Tech. Rept. No. 2156-8, The Ohio State Univ. , Columbus.
- Gilder, J. R. , and K. Yao (1970), Experimental study of the transient response of multiple scattered laser radiation, Proc. IEEE, 58 (10), 1764-1766.
- Gilmartin, T. J. , and R. R. Horning (1967), Spectral characteristics of intensity fluctuations on a laser beam propagating in a desert atmosphere, IEEE J. Quantum Electron. , QE-3 (6), 254-256.

- Gilmartin, T. J., and F. V. Schultz (1969), Laser beam broadening in atmospheric propagation, *Radio Sci.*, 4 (11), 983-990.
- Goldstein, I., P. A. Miles, and A. Chabot (1965), Heterodyne measurements of light propagation through atmospheric turbulence, *Proc. IEEE*, 53 (9), 1172-1180.
- Gracheva, M. E. (1967), Research in to the statistical properties of the strong fluctuations of light when propagated in the lower layer of the atmosphere, *Izv. Vyssh. Ucheb. Zaved. Radiofiz.*, 10, 775-787.
- Gracheva, M. E., and A. S. Gurvich (1969), The averaging effect of the receiving aperture on light intensity fluctuations, *Izv. Vyssh. Ucheb. Zaved. Radiofiz.*, 12, 253-255.
- Gracheva, M. E., and A. S. Gurvich (1965), Strong fluctuations in the intensity of light propagated through the atmosphere near the earth, *Izv. Vyssh. Ucheb. Zaved. Radiofiz.*, 8 (4), 717-724.
- Gracheva, M. E., and A. S. Lezhen (1966), Fluctuations in the intensity of light propagated through a medium with varying turbulence, *Izv. Vyssh. Ucheb. Zaved. Radiofiz.*, 9 (1), 57-60. (Transl. Soviet Radiophys., 9 (1), Jan.-Feb. 1966, 37-39.)
- Gracheva, M. E., A. S. Gurvich, and M. A. Kallistratova (1970), Measurements of the variance of 'strong' intensity fluctuations of laser radiation in the atmosphere, *Izv. Vyssh. Ucheb. Zaved. Radiofiz.*, 13 (1), 56-60.
- Gray, D. A., and A. T. Waterman, Jr. (1970), Measurement of fine-scale atmospheric structure using an optical propagation technique, *J. Geophys. Res.*, 75 (6), 1077-1083.
- Gray, D. A., and A. T. Waterman, Jr. (1968), Measurement of the atmospheric microscale using a short optical path, paper presented at Fall URSI Conf., Boston, Mass.
- Gurvich, A. S., and M. A. Kallistratova (1968), Experimental investigations of fluctuations of arrival angle of light under the conditions of strong fluctuations of intensity, *Radiofizika*, 11, 66-71.
- Gurvich, A. S., M. A. Kallistratova, and N. S. Time (1968), Fluctuations of the parameters of a laser light wave propagating in the atmosphere, *Radiofizika*, 11, 1360-1370.

- Halme, S. J. (1970), Efficient optical communications in a turbulent atmosphere, Res. Lab. Electron. Tech. Rept. No. 474, M. I. T., Cambridge, Mass.
- Heggstad, H. M. (1968), Optical communication through a multiple scattering media, Res. Lab. Electron. Tech. Rept. No. 472, M. I. T., Cambridge, Mass. (See also Tech. Rept. 454, Lincoln Labs., M. I. T.)
- Helstrom, C. W. (1964), The detection and resolution of optical signals, IEEE Trans. Inform. Theory, IT-10 (4), 275-287.
- Herrick, R. B., and J. R. Meyer-Arendt (1966), Interferometry through the turbulent atmosphere at an optical path difference of 354 m, Appl. Opt., 5 (6), 981-983.
- Hinchman, W. R., and A. L. Buck (1964), Fluctuations in a laser beam over 9- and 90-mile paths, Proc. IEEE, 52 (3), 305-306.
- Ho, T. L. (1969), Log-amplitude fluctuations of laser beam in a turbulent atmosphere, J. Opt. Soc. Am., 59 (4), 385-390.
- Hogg, D. C. (1963), On the spectrum of optical waves propagated through the atmosphere, Bell Sys. Tech. J., 42 (6), 2967-2969.
- Höhn, D. H. (1966), Effects of atmospheric turbulence on the transmission of a laser beam at 6328 Å. II - Frequency spectra, Appl. Opt., 5 (9), 1433-1436.
- Höhn, D. H. (1966), Effects of atmospheric turbulence on the transmission of a laser beam at 6328 Å. I - Distribution of intensity, Appl. Opt., 5 (9), 1427-1431.
- Johnson, W. B. (1969), Turbulence-induced 'super-saturation' of laser scintillation observed over a 3.5-kilometer horizontal range, Trans. Am. Geophys. Union, 50 (4), 158.
- Kallistratova, M. A. (1966), Fluctuations in the direction of propagation of light waves in an inhomogeneous turbulent medium, Izv. VUZ Radiofiz., 9 (1), 50-56. (Transl. Soviet Radiophys., 9 (1) (1966), 33-36.)
- Kennedy, R. S. (1970), Communication through optical scattering channels: An introduction, Proc. IEEE, 58 (10), 1651-1665.

- Kennedy, R. S. , and E. V. Hoversten (1968), On the atmosphere as an optical communication channel, *IEEE Trans. Inform. Theory*, IT-14 (5), 716-725.
- Kerr, J. R. (1970), Multiwavelength laser-propagation experiments II, presented at 1970 Spring Meeting Opt. Soc. Am. , April 7-10, Philadelphia, Pa.
- Kerr, J. R. (1969), Multi-wavelength laser-propagation experiments, presented at 1969 Ann. Meeting Opt. Soc. Am. , Oct. 21-24, Chicago, Ill.
- Kerr, J. R. , P. J. Titterton, and C. M. Brown (1969), Atmospheric distortion of short laser pulses, *Appl. Opt.* , 8 (11), 2233-2239.
- Kerr, J. R. , P. J. Titterton, A. R. Kraemer, and C. R. Cooke (1970), Atmospheric optical communications systems, *Proc. IEEE*, 58 (10), 1691-1709.
- Khmelevtsov, S. S. , and P. Sh. Tsvyk (1970), Intensity fluctuations of a laser beam propagating in a turbulent atmosphere, *Izv. Vyssh. Ucheb. Zaved. Radiofiz.* , 13, 146-148.
- Kinoshita, Y. , M. Suzuki, and T. Matsumoto (1968), Fluctuations of a Gaussian light beam propagating through a random medium, *Radio Sci.* , 3 (3), 287-294.
- Kinoshita, Y. , T. Asakura, and M. Suzuki (1968), Autocorrelation of Gaussian-beam fluctuation caused by a random medium, *J. Opt. Soc. Am.* , 58 (8), 1040-1047.
- Kinoshita, Y. , T. Asakura, and M. Suzuki (1968), Fluctuation distribution of Gaussian beam propagating through a random medium, *J. Opt. Soc. Am.* , 58 (6), 798-807.
- Kon, A. I. , and V. I. Tatarski (1965), Fluctuations of the parameters of a spatially bounded light beam in a turbulent atmosphere, *Izv. Vyssh. Ucheb. Zaved, Radiofiz.*, 8 (5), 870-875.
- Kopeika, N. S. , and J. Bordogna (1970), Background noise in optical communication systems, *Proc. IEEE*, 58 (10), 1571-1577.
- Kurtz, R. L. , and J. L. Hayes (1966), Experimental measurements of optical angular deviation caused by atmospheric turbulence and refraction, NASA TN-D-3439, George C. Marshall Space Flight Center, Huntsville, Ala.

- Lawrence, R. S., G. R. Ochs, and S. F. Clifford (1970), Measurements of atmospheric turbulence relevant to optical propagation, J. Opt. Soc. Am., 60 (6), 826-830.
- Lerner, R. M., and A. E. Holland (1970), The optical scatter channel, Proc. IEEE, 58 (10), 1547-1563.
- Lese, W. G., Jr. (1969), Stellar image excursions caused by random atmospheric refraction, Ballistic Res. Labs. Memo Rept. 2014, Aberdeen Proving Ground, Md.
- Lutomirski, R. F., and H. T. Yura (1969), Aperture-averaging factor of a fluctuating light signal, J. Opt. Soc. Am., 59 (9), 1247-1248.
- Mevers, G. E., D. L. Fried, and M. P. Keister, Jr. (1965), Experimental measurements of the character of intensity fluctuations of a laser beam propagating in the atmosphere, Electro-Optical Lab., Space and Information Sys. Div. Tech. Memo. No. 252, IS-TM-65/146, North American Aviation, Inc., Downey, Calif.
- Mevers, G. E., M. P. Keister, Jr., and D. L. Fried (1969), Saturation of scintillation, J. Opt. Soc. Am., 59 (4), 491-492. (Also 1969 Meeting Opt. Soc. Am., San Diego, Calif.)
- Meyer-Arendt, J. R., and C. B. Emmanuel (1965), Optical scintillation; a survey of the literature, NBS Tech. Note. No. 225, U. S. Govt. Printing Office, Washington, D. C.
- Moreland, J. P. (1969), Optical heterodyne detection of a randomly distorted signal beam, Ph.D. Thesis, The Ohio State Univ., Columbus.
- Moreland, J. P., and S. A. Collins, Jr. (1969), Optical heterodyne detection of a randomly distorted signal beam, J. Opt. Soc. Am., 59 (1), 10-13.
- Munick, R. J. (1965), Turbulent backscatter of light, J. Opt. Soc. Am., 55 (7), 893.
- Ochs, G. R. (1970), Measurements of 0.63- μ m laser-beam scintillation in strong atmospheric turbulence, ESSA Tech. Rept. ERL 154-WPL 10, U. S. Govt. Printing Office, Washington, D. C.
- Ochs, G. R. (1969), Atmospheric effects on a laser beam in strong turbulence, Spring Meeting, Opt. Soc. Am., San Diego, Calif.

- Ochs, G. R. , and R. S. Lawrence (1969), Saturation of laser-beam scintillation under conditions of strong atmospheric turbulence, J. Opt. Soc. Am. , 59 (2) 226-227.
- Ochs, G. R. , R. R. Bergman, and J. R. Snyder (1969), Laser-beam scintillation over horizontal paths from 5.5 to 145 kilometers, J. Opt. Soc. Am. , 59 (2), 231-234.
- Ohuri, D. A. (1968), Detection of signals in the turbulent atmospheric optical channel, M. S. Thesis, Dept. Elec. Engrg. , M. I. T. , Cambridge, Mass.
- Owens, J. C. (1969), Optical Doppler measurement of microscale wind velocity, Proc. IEEE, 57 (4), 530-536.
- Romanova, L. M. (1969), The nonstationary light field in turbid media, in collection of papers, Trans. All-Union School Symposium on the Optics of Scattering Media, Minsk.
- Ruck, G. T. (1964), Feasibility of non-line-of-sight laser communications, Batelle Memorial Inst. Rept. BAT-171-4, Columbus, Ohio. ASTIA Doc. AF 265-925 (Clearinghouse).
- Ryznar, E. (1965), Dependence of optical scintillation frequency on wind speed, Appl. Opt. , 4 (11), 1416-1418.
- Saleh, A. A. M. (1967), An investigation of laser wave depolarization due to atmospheric transmission, IEEE J. Quantum Electron. , QE-3 (11), 540-543.
- Sancer, M. I. , and A. D. Varvatsis (1969), A saturation calculation for light propagation in the turbulent atmosphere, Rept. NCL 69-57R, Northrop Corporate Labs. , Pasadena, Calif.
- Schmeltzer, R. A. (1967), Means, variances, and covariances for laser beam propagation through a random medium, Quart. Appl. Math. , 24 (4), 339-354.
- Shapiro, J. H. (1969), Improved optical communication through atmospheric turbulence using state knowledge, Res Lab. Electron. Quarterly Progress Rept. No. 92, M. I. T. , Cambridge, Mass. , 315-321.

- Shifrin, K. S. (1951), Scattering of light in a turbid medium (transl. of Russian text available as NASA Rept. TTF-477 from Clearinghouse for Scientific Federal Technical Information (CFSTI), Springfield, Va. 22151). Gostekhizad.
- Smart, C. et al. (1965), Experimental study of multiple light scattering, *J. Opt. Soc. Am.*, 55 (8), 947-955.
- Strohbehn, J. W. (1970), The feasibility of laser experiments for measuring the permittivity spectrum of the turbulent atmosphere, *J. Geophys. Res.*, 75 (6), 1067-1076.
- Strohbehn, J. W. (1967), The feasibility of laser experiments for measuring atmospheric turbulence parameters, diffraction effects, *J. Geophys. Res.*, 71 (24), 5793-5808. (Also presented at Fall URSI Meeting, Ann Arbor, Mich.)
- Subramanian, M. (1968), Atmospheric limitations for laser communications, *IEEE EASCON 1968 Record*, 125-133.
- Subramanian, M., and J. A. Collinson (1967), Modulation of laser beams by atmospheric turbulence - Depth of modulation, *Bell Sys. Tech. J.*, 46 (3), 623-648.
- Subramanian, J., and J. A. Collinson (1965), Modulation of laser beams by atmospheric turbulence, *Bell Sys. Tech. J.*, 44 (3), 543-546.
- Tamny, M. A. (1968), Heterodyne measurements of atmospheric turbulence at 6328 Å, M. S. Thesis, Dept. Elec. Engrg., M. I. T. Cambridge, Mass.
- Tatarski, V. I. (1966), On strong fluctuations of light wave parameters in a turbulent medium, *Soviet Phys. JETP*, 22 (5), 1083-1088.
- Thompson, M. C., Jr. (1967), A radio-optical dispersion technique for higher-order correction of optical distance measurements, *Osterreichischen Zeitschrift für Vermessungswesen, Sonderheft 25*, 161-163.
- Thompson, M. C., Jr., and L. E. Wood (1965), The use of atmospheric dispersion for the refractive index correction of optical distance measurements, *Electromagnetic Distance Measurement Symposium*, Oxford, Sept. 1965, Univ. Toronto Press, 165-172.

- deWolf, D. A. (1965), Wave propagation through quasi-optical irregularities, J. Opt. Soc. Am. , 55 (7), 812-817.
- Wood, L. E. , and M. C. Thompson, Jr. (1966), Technique for the measurement of the transit time of an optical signal, Nature, 211 (5045), 173-174.
- Wyman, C. L. (1968), Angular fluctuations of a laser beam propagated through the atmosphere, M. S. Thesis, Dept. Elec. Engrg. , Univ. Alabama, Tuscaloosa.
- Yura, H. T. (1969), Optical propagation through a turbulent medium, J. Opt. Soc. Am. , 59 (1), 111-112.

Section C - Propagation through Precipitation

Part 1 - General

- Aden, A. L. (1951), Electromagnetic scattering from spheres with sizes comparable to the wavelength, *J. Appl. Phys.* , 22 (5), 601-605.
- Atlas, D. , and F. H. Ludlam (1961), Multi-wavelength radar reflectivity of hailstorms, *Quart. J. Roy. Meteorol. Soc.* , 87, 523-534.
- Atlas, D. , and R. Wexler (1963), Back-scatter by oblate ice spheroids, *J. Atmospheric Sci.* , 20 (1), 48-61.
- Atlas, D. , M. Kerker, and W. Hitschfeld (1953), Scattering and attenuation by non-spherical atmospheric particles, *J. Atmosph. Terrest. Phys.* , 3, 108-119.
- Austin, P. M. (1963), Radar measurements of the distribution of precipitation in New England storms, Proc. 10th Weather Radar Conf. , Am. Meteorol. Soc. , Boston, 247-254.
- Austin, P. M. , and E. L. Williams (1951), Comparison of radar signal intensity with precipitation rate, Dept. Meteorol., Radar Res. Tech. Rept. No. 14, 43 pp, M. I. T. , Cambridge, Mass.
- Battan, L. J. , and J. B. Theiss (1967), Measurement of draft speeds in convective clouds by means of pulsed Doppler radar, *Inst. Atmosph. Phys. Sci. Rept. No. 22*, Univ. Arizona, Tucson.
- Battan, L. J. , and J. B. Theiss (1966), Observations of vertical motions and particle sizes in a thunderstorm, *J. Atmospheric Sci.* , 23 (1), 78-87.
- Benoit, A. (1968), Signal attenuation due to neutral oxygen and water vapour, rain and clouds, *Microwave J.* , 11 (1), 73-80.
- Berjuljev, G. P. et al. (1966), The results of radar measurements of areal rainfall in Valday, Proc. 12th Conf. Radar Meteorol. , Am. Meteorol. Soc. , Boston, 220-221.
- Covert, R. P. , M. M. Goldhammer, and G. F. Lewis (1967), An estimation of the effects of precipitation on scheduling of extended outdoor activities, *J. Appl. Meteorol.* , 6 (4), 683-687.
- Crane, R. K. (1967), Coherent pulse transmission through rain, *IEEE Trans. Ant. Prop.* , AP-15 (2), 252-256.
- Crane, R. K. (1968), Simultaneous radar and radiometer measurements of rain shower structure, Tech. Note 1968-33, M.I. T. Lincoln Lab. , Lexington, Mass. ASTIA Doc. AF-678079.

Debye, P. (1929), Polar Molecules, Chemical Catalog Co., New York, 172 pp.

Deirmendjian, D. (1969), Electromagnetic Scattering on Spherical Polydispersions, American Elsevier, New York.

Deirmendjian, D. (1963), Scattering and polarization properties of polydispersed suspensions with partial absorption, Electromagnetic Scattering, ed. M. Kerker, Electromagnetic Waves Ser., 5, MacMillan, New York, 171-189.

Doherty, L. H. (1963), The scattering coefficient of rain from forward scatter measurements, Proc. 10th Weather Radar Conf., Am. Meteorol. Soc., Boston, 171-176.

Donaldson, R. J., Jr. (1955), Drop-size distribution, liquid water content, optical transmission, and radar reflectivity in fog and drizzle, Proc. 5th Weather Radar Conf., Am. Meteorol. Soc., Boston, 275-280.

Fowler, M. S., and A. H. LaGrone (1970), Estimating attenuation through precipitation from the radar echo, Antennas and Propagation Div., Elec. Engrg. Res. Lab. Rept. No. P-41, 23 pp., Univ. Texas, Austin.

Fowler, M. S., A. P. Deam, and A. H. LaGrone (1967), Bistatic radar observations of drop-size distribution in a rain shower, Antennas and Propagation Lab., Elec. Engrg. Res. Lab. Rept. No. P-17, 73 pp., Contract DA 49-092-ARO-87, Univ. Texas, Austin.

Geotis, S. G. (1964), Comments on paper by David Atlas, Kenneth R. Hardy, and Jürg Joss, 'Radar reflectivity of storms containing spongy hail', J. Geophys. Res., 69 (22), 4907-4908.

Geotis, S. G. (1963), Some radar measurements of hailstorms, J. Appl. Meteorol., 2 (2), 270-275.

Goldstein, L. (1951), Attenuation by condensed water, Propagation of Short Radio Waves, ed. D. E. Kerr, M. I. T. Radiation Lab. Ser. 13, McGraw-Hill, New York, 671-692.

Herman, B. M. (1965), Multiple scatter effects on the radar return from large hail, J. Geophys. Res., 70 (5), 1215-1225.

- Herman, B. M. , and D. N. Yarger (1965), Multiple scattering from particles in the Mie region, Proc. 2nd ICES, eds. E. L. Rowell and R. Stein, Gordon and Breach, New York.
- Hitschfeld, W. , and J. Bordan (1954), Errors inherent in the radar measurement of rainfall at attenuating wavelengths, J. Meteorol. , 11 (1), 58-67.
- van de Hulst, H. C. (1957), Light Scattering by Small Particles, John Wiley, New York, 470 pp.
- Joss, J. , and A. N. Aufdermaur (1965), Experimental determination of the radar cross sections of artificial hailstones containing water, J. Appl. Meteorol. , 4 (6), 723-726.
- Joss, J. , and R. List (1963), Backscattering cross sections of mixtures of ice and water, (Zur Radarrückstrahlung von Eis-Wasser-Gemischen), Z. Angew. Math. Phys. , 14, 376-380.
- King, R. W. P. , and C. W. Harrison (1971), Scattering by imperfectly conducting spheres, IEEE Trans. Ant. Prop. , AP-19 (2), 197-207.
- Labrum, N. R. (1952), The scattering of radio waves by meteorological particles, J. Appl. Phys. , 23 (12), 1324-1330.
- Laws, J. O. , and D. A. Parsons (1943), The relation of raindrop size to intensity, Trans. Am. Geophys. Union, Pt. II, 24, 452-460.
- Levine, S. , and M. Kerker (1962), Scattering of electromagnetic waves from two concentric spheres when outer shell has a variable refractive index, Proc. ICES, ed. M. Kerker, Pergamon Press, London, England.
- Lhermitte, R. M. (1966), Doppler observation of particle velocities in a snowstorm, Proc. 12th Weather Radar Conf. , Univ. Oklahoma, Norman.
- Lukes, G. D. (1968), Penetrability of haze, fog, clouds, and precipitation by radiant energy over the spectral range of 0.1 micron to 10 centimeters, CNA, Naval Warfare Analysis Group, Study No. 61.
- Lyubovtseva, Yu. A. (1964), A field aureole apparatus, Bull. (Izv.) Acad. Sci. USSR, Geophys. Ser. No. 5, 481-485.

- Lyubovtseva, Yu. A., and G. V. Rozenberg (1966), The aureole part of the scattering indicatrix in the atmospheric surface layer, *Izv. Acad. Sci. USSR, Atmosph. Oceanic Phys.*, 2 (3), 248-262.
- Marshall, J. R., and W. M. Palmer (1948), The distribution of raindrops with size, *J. Meteorol.*, 5 (4), 165-166.
- Melnichuk, Yu. V. (1966), Measuring turbulence in precipitation with a Doppler radar station, *Izv. Acad. Sci. USSR, Atmosph. Oceanic Phys.* (translation), 2, 695-704.
- Mitchell, R. L. (1968), Remote sensing of rain by radar, Aerospace Corp. Rept. TR-0158(3525-09)-1, Contract AF 04(695)-67-C-0158, NASA Access No. N 68-24174, El Segundo, Calif., 35 pp.
- Mueller, E. A., and A. L. Sims (1969), Relationships between reflectivity, attenuation, and rainfall rate derived from drop-size spectra, Tech. Rept. TR-ECOM-02071, Illinois State Water Survey, Urbana.
- Newton, R. G. (1966), Scattering Theory of Waves and Particles, McGraw-Hill, New York.
- Oguchi, T. (1964), Attenuation of electromagnetic wave due to rain with distorted raindrops, Part II, *J. Radio Res. Labs. (Tokyo)*, 11 (53), 19-37.
- Oguchi, T. (1960), Attenuation of electromagnetic wave due to rain with distorted raindrops, *J. Radio Res. Labs. (Tokyo)*, 7 (33), 467-485.
- Penndorf, R. (1962), Angular Mie scattering, *J. Opt. Soc. Am.*, 52 (4), 402-408.
- Rogers, R. R. (1966), Doppler radar investigation of Hawaiian rain, 12th Weather Radar Conf., Univ. Oklahoma, Norman, 128-134.
- Rozenberg, V. I. (1970), Effect of the initial and the last sector of the rain drop spectrum on radar characteristics of rain, *Izv. Acad. Sci. USSR, Atmosph. Oceanic Phys.*, 6 (8), 507-509.
- Ruthroff, C. L. (1970), Rain attenuation and radio path design, *Bell. Sys. Tech. J.*, 49 (1), 121-135.
- Ruthroff, C. L. (1969), Microwave attenuation and rain gauge measurements, *Proc. IEEE*, 57 (6), 1235-1236. (Also includes Medhurst's reply.)

- Sartor, J. D. (1963), Radio emission from clouds, *J. Geophys. Res.*, 68 (18), 5169-5172.
- Sartor, J. D., and W. R. Atkinson (1967), Chance transfer between raindrops, *Science*, 157 (3794), 1267-1269.
- Sekera, Z. (1965), Introduction to multiple scattering problems, Proc. 2nd ICES, eds. R. L. Rowell and R. Stein, Gordon and Breach, New York.
- Shuster, A. (1905), Radiation through a foggy atmosphere, *The Astrophys. J.*, 21, 1-22.
- Stephens, J. J. (1964), On the applicability of Rayleigh scattering in radar meteorology, *J. Appl. Meteorol.*, 3 (2), 211-212.
- Stephens, J. J. (1961), Radar cross-sections for water and ice spheres, *J. Meteorol.*, 18 (3), 348-359.
- Stevenson, A. F. (1953), Electromagnetic scattering by an ellipsoid in the third approximation, *J. Appl. Phys.*, 24 (9), 1143-1151.
- Stevenson, A. F. (1953), Solution of electromagnetic scattering problems as a power series in the ratio (dimension of scatterer)/wavelength *J. Appl. Phys.*, 24 (9), 1134-1142.
- Tatehira, R., and R. C. Srivastava (1968), Note on updraft estimation with Doppler radar, Proc. 13th Radar Meteorol. Conf., McGill Univ., Montreal, 36-43.
- duToit, P. S. (1967), Doppler radar observation of drop sizes in continuous rain, *J. Appl. Meteorol.*, 6 (6), 1082-1087.
- Toropova, T. P., V. V. Kegulikhes, and K. M. Salamakhin (1969), Certain data concerning scattering indicatrices in the atmospheric surface layer, *Trans. (Trudy) Astrophys. Inst. Acad. Sci. Kazakh SSR*, 13, 73.
- Wexler, R., and D. Atlas (1963), Radar reflectivity and attenuation of rain, *J. Appl. Meteorol.*, 2 (2), 276-280.

Section C - Propagation through Precipitation

Part 2 - Frequencies below 300 GHz

- Abshayev, M. T. , and V. I. Rozenberg (1969), Scattering and attenuation of centimeter range radio emission by hail. , Bull. (Izv.) Acad. Sci. USSR, Atmosph. Oceanic Phys. , 5 (8), 457-460.
- Adam, M. G. , R. A. Hull, and C. Hurst (1942), Absorption of 1 cm radiation by rain, Rept. C. L. Misc. 3, C. V. D. Research Group, New Clarendon Lab. , Oxford, England.
- Anderson, L. J. , J. P. Day, C. H. Freres, and A. P. D. Stokes (1947), Attenuation of 1.25-centimeter radiation through rain, Proc. IRE, 35 (4), 351-354.
- Austin, P. M. (1966), Frequency of occurrence of rain attenuation of 10 dB or greater at 10 Gc, M.I. T. Weather Radar Res. Lab. , Cambridge, Mass.
- Basharinov, A. Ye. , and B. G. Kutuza (1968), A study of the ratio emission and absorption of a cloudy atmosphere in the millimeter and centimeter wave ranges, Trans. (Trudy) Main Geophys. Observatory, No. 222.
- Blevis, B. C. , R. M. Dohoo, and K. S. McCormick (1967), Measurements of rainfall attenuation at 8 and 15 GHz, IEEE Trans. Ant. Prop. , AP-15 (3), 394-402.
- Crane, R. K. (1966), Microwave scattering parameters for New England rain, Tech. Rept. 426, M. I. T. Lincoln Lab. , Lexington, Mass. ASTIA Doc. AD-647798.
- Deirmendjian, D. (1964), Complete scattering parameters of polydispersed hydrometeors in the $\lambda 0.1$ to $\lambda 10$ cm range, Proc. World Conf. Radio Meteorol. , Proc. 11th Weather Radar Conf. , Am. Meteorol. Soc. , Boston, 172-176.
- Deirmendjian, D. (1963), Complete microwave scattering and extinction properties of polydispersed cloud and rain elements, Rept. R-42-PR, Contract AF49(638)-700, NASA Access No. N64-14493, The Rand Corp. , Santa Monica, Calif. , 54 pp.
- Donaldson, R. J. , D. Atlas, W. H. Paulsen, R. M. Cunningham, and A. C. Chmela (1953), Quantitative 1.25-cm observations of rain and fog, Proc. 4th Conf. Radio Meteorol. , VII-6, Am. Meteorol. Soc. , Boston, 7 pp.

- Dutton, E. J. (1967), Estimation of radio ray attenuation in convective rainfalls, *J. Appl. Meteorol.*, 6 (4), 662-668.
- Easterbrook, B. J., and D. Turner (1967), Prediction of attenuation by rainfall in the 10.7-11.7 GHz communication band, *Proc. IEE*, 114 (5), 557-565.
- Funakawa, K. (1964), Measurement of total cross sections of water drops at 5 millimeter wavelength utilizing the 'Shadow Theorem', *Electron. Engrg. Res. Lab. Tech Rept. No. 9*, Univ. Texas, Austin.
- Gerhardt, J. R., C. W. Tolbert, S. A. Brunstein, and W. W. Bahn (1961), Experimental determinations of the back-scattering cross-sections of water drops and of wet and dry ice spheres at 3.2 centimeters, *J. Meteorol.*, 18 (3), 340-347.
- Gerhardt, J. R., C. W. Tolbert, and S. A. Brunstein (1961), Further studies of the back-scattering cross-sections of water drops and wet and dry ice spheres, *J. Meteorol.*, 18 (5), 688-691.
- Godard, S. L. (1970), Propagation of centimeter and millimeter wavelengths through precipitation, *IEEE Trans. Ant. Prop.*, AP-18 (4), 530-534.
- Gunn, K. L. S., and T. W. R. East (1954), The microwave properties of precipitation particles, *Quart. J. Roy. Meteorol. Soc.*, 80, 522-545.
- Harrold, T. W. (1967), Attenuation of 8.6 mm-wavelength radiation in rain, *Proc. IEE*, 114 (2), 201-203.
- Herman, B. M., and L. J. Battan (1961), Calculations of Mie backscattering of microwaves from ice spheres, *Quart. J. Roy. Meteorol. Soc.*, 87, 223-230. (See also pp. 606-607, same journal.)
- Herman, B. M., and L. J. Battan (1961), Calculations of Mie backscattering from melting ice spheres, *J. Meteorol.*, 18 (4), 468-478.
- Herman, B. M., and L. J. Battan (1961), Calculations of the total attenuation and angular scatter of ice spheres, Proc. 9th Weather Radar Conf., *Am. Meteorol. Soc.*, Boston, 259-265.
- Herman, B. M., and L. J. Battan (1960), Calculations of Mie backscattering from melting ice spheres, *Inst. Atmosph. Phys. Sci. Rept. No. 15*, Univ. Arizona, Tucson, 29 pp.

- Herman, B. M., and L. J. Battan (1959), Calculations of the Mie back-scattering of microwaves from ice spheres, *Inst. Atmosph. Phys. Sci. Rept. No. 12*, Univ. Arizona, Tucson, 11 pp.
- Hogg, D. C. (1969), Statistics on attenuation of microwaves by intense rain, *Bell Sys. Tech. J.*, 48 (9), 2949-2962.
- Hogg, D. C. (1967), Path diversity in propagation on millimeter waves through rain, *IEEE Trans. Ant. Prop.*, AP-15 (3), 410-415.
- Ippolito, L. J. (1971), Effects of precipitation on 15.3- and 31.65-GHz earth-space transmissions with the ATS-V satellite, *Proc. IEEE*, 59 (2), 189-205.
- Krasyuk, N. P., V. I. Rozenberg, and D. A. Chistyakov (1968), Radar characteristics of precipitation of different origin, spectra, intensities, and temperatures in centimeter and millimeter range radio waves, *Trans. (Trudy) Higher Institutes (VGI)*, No. 11.
- Kreiss, W. T. (1969), The influence of clouds on microwave brightness temperatures viewing downward over open seas, *Proc. IEEE*, 57 (4), 440-446.
- Medhurst, R. G. (1965), Rainfall attenuation of centimeter waves: Comparison of theory and measurement, *IEEE Trans. Ant. Prop.*, AP-13 (4), 550-564.
- Mitchell, R. L. (1966), Scattering and absorption cross sections of water spheres at millimeter wavelengths, *Aerospace Corp. Rept. TR-669 (6230-46)-11*, Contract AF04(695)-669, El Segundo, Calif., 33 pp. (Also listed as AF Rept. No. SSD-TR-66-150.)
- Naumov, A. P., and V. S. Stankevich (1969), Attenuation of millimeter and submillimeter radiowaves by rain, *Izv. VUZ Radiofiz.*, 12 (2), 181-184.
- Oguchi, T. (1966), Scattering and absorption of a millimeter wave due to melting ice spheres, *Proc. IEEE*, 54 (6), 883-885.
- Okamura, S., K. Funakawa, H. Uda, J. Kato, and T. Oguchi (1959), On the measurement of attenuation by rain at 8.6 mm wavelength, *J. Radio Res. Labs. (Tokyo)*, 6 (25), 255-267.

- Okamura, S., K. Funakawa, H. Uda, J. Kato, and T. Oguchi (1961), Effect of polarization on the attenuation by rain at millimeter wavelength, J. Radio Res. Labs. (Tokyo), 8 (36), 73-80.
- Plank, V. G., D. Atlas, and W. H. Paulsen (1955), The nature and detectability of clouds and precipitation as determined by 1.25-centimeter radar, J. Meteorol., 12 (4), 358-378.
- Rado, G. T. (1945), Measurements of the attenuation of K-band waves by rain, Rept. 603, Radiation Lab., M. I. T., Cambridge, Mass.
- Rider, G. C. (1966), Propagation measurements of "Q" band rainfall attenuation, Marconi Rev., 29 (160), 24-30.
- Robertson, S. D., and A. P. King (1946), The effect of rain upon the propagation of waves in the 1- and 3-cm regions, Proc. IRE, 34 (4), 178-180.
- Robinson, N. P. (1955), Measurements of the effect of rain, snow, and fogs on 8.6 mm radar echoes, Proc. IEE, 102, Pt. B, 709-714.
- Rozenberg, V. I. (1970), Scattering of microwaves by flaky hailstones, Izv. Acad. Sci. USSR, Atmosph. Oceanic Phys., 6 (2), 91-96.
- Rozenberg, V. I. (1968), On dielectric penetrability of water at 1.2 to 1.6 millimeter wavelength, Izv. VUZ Radiofiz., 11 (2), 322-323.
- Ryde, J. W., and D. Ryde (1945), Attenuation of centimeter and millimeter waves by rain, hail, fogs, and clouds, Rept. 8670, G. E. Co. Res. Labs., Wembley, England.
- Ryde, J. W., and D. Ryde (1944), Attenuation of centimeter waves by rain, hail, and clouds, Rept. 8516, G. E. Co. Res. Labs., Wembley, England.
- Saunders, M. J. (1971), Cross polarization at 18 and 30 GHz due to rain, IEEE Trans. Ant. Prop., AP-19 (2), 273-277.
- Semplak, R. A. (1970), The influence of heavy rainfall on attenuation at 18.5 and 30.9 GHz, IEEE Trans. Ant. Prop., AP-18 (4), 507-511.
- Semplak, R. A. (1970), Effect of oblate raindrops on attenuation at 30.9 GHz, Radio Sci., 5 (3), 559-564.

- Semplak, R. A., and R. H. Turrin (1969), Some measurements of attenuation by rainfall at 18.5 GHz, Bell Sys. Tech. J., 48 (6), 1767-1787.
- Shifrin, E. S., and M. M. Chernyak (1968), Absorption and scattering of microradiowaves in precipitation, Trans. (Trudy) Main Geophysical Observatory, No. 222.
- Shifrin, K. S., and M. M. Chernyak (1967), Attenuation and scattering of centimeter radiation in precipitation, Trans. (Trudy) Main Geophysical Observatory, No. 203.
- Skerjanec, R. E., and C. A. Samson (1970), Rain attenuation study for 15-GHz relay design, Federal Aviation Admin. Rept. No. FAA-RD-70-21, Federal Aviation Admin, Systems Res. and Develop. Service, Washington, D. C. 20590.
- Stiglitz, M. R. (1966), Swept frequency measurement of water-drop diameter, IEEE Trans. Ant. Prop., AP-14 (4), 509-510.
- Stout, G. E., and E. A. Mueller (1968), Survey of relationships between rainfall rate and radar reflectivity in the measurement of precipitation, J. Appl. Meteorol., 7 (3), 465-474.
- Straiton, A. W., B. M. Fannin, et al. (1970), Atmospheric limitations on the use of the longer millimeter wavelengths, Tech. Rept. AFAL-TR-70-225, A. F. Avionics Lab., Wright-Patterson AFB, Ohio.
- Straiton, A. W., and C. W. Tolbert (1963), Factors affecting earth-satellite millimeter wavelength communications, IEEE Trans. Microwave Theory Tech., MTT-11 (5), 296-301.
- Straiton, A. W., C. R. Bailey, and W. Vogel (1970), Amplitude variations of 15-GHz radio waves transmitted through clear air and through rain, Radio Sci., 5 (3), 551-557.
- Tolbert, C. W., and J. R. Gerhardt (1956), Measured rain attenuation of 4.3-millimeter wavelength radio signals, Elec. Engrg. Res. Lab. Rept. No. 83, Univ. Texas, Austin, 26 pp.
- Tolbert, C. W., J. R. Gerhardt, and W. W. Bahn (1959), Rainfall attenuation of 2.15-millimeter radio wavelengths, Elec. Engrg. Res. Lab. Rept. No. 109, Contract No. 375(01), NR 371033, Univ. Texas, Austin. 17 pp.

Tolbert, C. W. , J. R. Gerhardt, and C. O. Britt (1957), Back-scattering cross-sections of water droplets, rain, and foliage at 4.3 millimeter radio wavelength, Elec. Engrg. Res. Lab. Rept. No. 91, Univ. Texas, Austin.

Usikov, A. Ya. , V. Ya. German, and I. Kh. Vakser (1961), Investigation of absorption and scattering of millimeter waves in precipitation, Ukranian Physical J. , 6 (5), 618-650.

Vakser, I. Kh. , L. E. Kopilovich, and Yu. I. Malysenko (1969), On the effect of rain on propagation of radiowaves in millimeter and submillimeter range, 9th All-Union Conf. on Radiowaves Propagation, 2, Khar'khov.

Wilson, R. W. (1969), Sun tracker measurements of attenuation by rain at 16 and 30 GHz, Bell Sys. Tech. J. , 48 (5), 1383-1404.

Section C - Propagation through Precipitation

Part 3 - Frequencies above 300 GHz

- Blau, H. H. , Jr. , and R. P. Espinola (1968), Spectral properties of clouds from 2.5 μ to 3.5 μ , Appl. Opt. , 7 (10), 1897-1901.
- Bucher, E. A. , R. M. Lerner, and C. W. Nievesen (1970), Some experiments on the propagation of light pulses through clouds, Proc. IEEE, 58 (10), 1564-1567.
- Chu, T. S. , and D. C. Hogg (1968), Effects of precipitation on propagation at 0.63, 3.5, and 10.6 microns, Bell Sys. Tech. J. , 47 (5), 723-759.
- Collis, R. T. H. (1965), Lidar observations of clouds, Science, 144, 978.
- Deirmendjian, D. (1964), Scattering and polarization properties of water clouds and hazes in the visible and infrared, Appl. Opt. , 3 (2), 187-196.
- Dianov-Kolov, V. I. , and I. P. Malkov (1966), Absorption-band strengthening as light passes through a cloud layer, Izv. Acad. Sci. USSR, Atmosph. Oceanic Phys. , 2 (5), 323-325.
- Irvine, W. M. , and J. B. Pollack (1968), Infrared optical properties of water and ice spheres, Icarus, 8, 324-360.
- Kabanov, M. V. , and Yu. A. Pkhalagov (1970), The spectral transmission of precipitation in the infrared, Izv. Acad. Sci. USSR, Atmosph. Oceanic Phys. , 6 (2), 119-122.
- Kattawar, G. W. , and G. N. Plass (1968), Influence of particle size distribution on reflected and transmitted light from cloud, Appl. Opt. , 7 (5), 869-878.
- Plass, G. N. , and G. W. Kattawar (1968), Influence of single scattering albedo on reflected and transmitted light from clouds, Appl. Opt., 7 (2), 361-367.
- Reisman, E. , G. Cumming, and C. Bartky (1967), Comparison of fog, scattered laser, and monochromatic **incoherent** light, Appl. Opt., 6 (11), 1969-1972.
- Woodward, D. R. (1964), Multiple light scattering by spherical dielectric particles, J. Opt. Soc. Am. , 54 (11), 1325-1331.